

**Advantage Trailers****Phone:** 630-580-5840 x104**Fax:** 630-580-5840 x104

110 E. North Ave.

Carol Stream, IL 60188

[sales@advantagetrailer.com](mailto:sales@advantagetrailer.com)**Email:** sales@advantagetrailer.com**Date:** August 30, 2007**Trailer Type:** 2008 Quest Series Gooseneck Car Haulers**Color:** WHITE**Width:** 8.2 ft**Length:** 38 ft**Height:** 10.5 ft**Axles:** 8000# Torsion Axles**Number of Axles:** 3.0**Model #:** ATCGQST8238TA6**Standard Features:****FRAME**

FULL PERIMETER ALUMINUM FRAME

ALL-TUBE CONSTRUCTION

TORSION AXLES

EZ LUBE HUBS

ELECTRIC BRAKES - ALL AXLES

2-5/16" ADJUSTABLE COUPLER

SAFETY CHAINS &amp; HOOKS

SINGLE SPEED MANUAL JACK

16" O/C FLOOR CROSSMEMBERS

16" O/C ROOF CROSSMEMBERS - 1" x 3"

16" O/C WALL SUPPORTS

48" BEAVERTAIL

SMOOTH ALUM. RADIUS WHEEL BOXES

FLAT FRONT DESIGN

**INTERIOR**

ADVANTECH SUB FLOOR

FLOOR COVER IS OPTIONAL

ADVANTECH RAMP

ADVANTECH FLAP

OPEN STUD WALLS

OPEN STUD CEILING

(4) 5000# D-RINGS

WIRE GROMMETS

(1) ROOF VENT

(3) DOME LIGHTS

**EXTERIOR**

4" UPPER RUB RAIL TRIM

4" LOWER RUB RAIL TRIM

.030 ALUMINUM

RIVETS ON SEAMS

ONE-PIECE ALUMINUM ROOF

GRAY MOD WHEELS W/ CHROME CAP

36" SIDE DOOR - 405 SERIES

FMVSS SIDE DOOR LOCK

REAR RAMP DOOR

GAPLESS CONTINUOUS HINGE

ALUMINUM BAR LOCKS

STAINLESS STEEL HASPS

7-WAY PLUG

ATP ENCLOSED FRONT W/ ACCESS PANEL

L.E.D. CLEARANCE LIGHTS

L.E.D. DUAL SLIM LINE BRAKE LIGHTS

LT215/75R17.5LRH GOODYEAR TIRES

**QUEST GOOSENECK FEATURES**

POLISHED CAST CORNERS

STAINLESS STEEL VERTICALS

STAINLESS STEEL TOP RADIUS

**Selected Options:**

1 110 VOLT PACKAGE #2  
- 50 Amp Breaker Box  
- 25' Land Line  
- (4) GFI Recepts  
- (4) 48" Fluorescent Lights  
- Frame and Wire for A/C  
- (2) Recessed 500 Watt Quartz Halogen Lamps  
1 ADD 8000# AXLE TO TANDEM (ATC)  
1 UPGRADE TO ELECTRIC OVER HYDRAULIC  
DISC BRAKES - TRIPLE 6K, 7K, OR 8K AXLES  
38 42" ADDITIONAL HEIGHT /FT  
TRAILER NOT TO EXCEED 12'.45" TALL  
1 UPGRADE TO 60" DOUBLE DOORS (405  
SERIES) W/ FMVSS LOCK  
PUT DOOR ON DRIVER SIDE OF TRAILER  
1 STAINLESS STEEL REAR PADDLE LATCHES  
1 5' ALUMINUM RAMP EXTENSIONS w/ 3"  
BUMBERS  
1 ALUMINUM SLIDE OUT / SLIDE IN STEP @  
SIDE DOOR  
- STEP WIDTH MATCHES DOOR OPENING SIZE  
1 REAR RAMP DOOR COLD CURTAIN  
LOCATE BETWEEN GARAGE AREA AND WORK  
SHOP AREA  
1 36" X 24" EGRESS WINDOW WITH SLIDER  
1 SALEM TWO WAY VENT SYSTEM (PAIR)  
1 SPARE LT215/75R17.5LRH ON BLACK WHEEL  
(8K AXLES)  
6 UPGRADE LT215/75R17.5LRH ON ALUMINUM  
WHEEL (8K AXLES)  
1 INTERIOR WALL SPARE TIRE MOUNT  
38 SCREWLESS EXTERIOR /FT (36" OR MORE  
EXTRA HEIGHT)  
38 .050 EXTERIOR ALUMINUM /FT (36" OR MORE  
EXTRA HEIGHT)  
38 24" STAINLESS STEEL SIDE TRIM (PER  
LINEAR FOOT)  
1 STAINLESS STEEL REAR RAMP EXTERIOR  
DOOR  
1 REAR SCISSOR JACKS / 5000# CAPACITY  
EACH - (PAIR)  
1 DUAL POST HYDRAULIC JACK FOR GOOSE -  
INCLUDES 12V BATTERY  
1 ADD SLIMLINE L.E.D. TAILLIGHTS (PAIR)  
1 ADD SLIMLINE L.E.D. BACKUP LIGHTS (PAIR)  
1 REAR DOCKING LIGHTS - STAINLESS STEEL  
10 BULLET HALOGEN LIGHTS - 12 VOLT (EACH)  
INCLUDES DIMMER SWITCH  
TO BE LOCATED UNDER ATTIC IN FRONT  
SECTION OF TRAILER  
1 AM/FM/CD STEREO (200 WATTS) w/ FOUR  
CUBE SPEAKERS  
1 UPGRADE TO 50 AMP MOTORBASE W/25'  
SHORE CORD FROM PACKAGE #2  
4 INTERIOR GFI RECEIPT  
SEE DRAWINGS FOR LOCATIONS  
2 EXTERIOR GFI RECEIPT  
4 3-WAY SWITCH - 110V (INCLUDES TWO 3-  
WAY SWITCHES)  
2 24" 110V FLUORESCENT LIGHT  
2 24" 110 V FLUORESCENT LIGHT - RECESSED  
INTO ATTIC / WALK ON ROOF  
2 48" FLUORESCENT LIGHT

---

TOTAL OF 6 IN TRAILER 4 IN UPPER PART AND  
2 ON LOWER PART OF TRAILER  
6 MOUNT LIGHTS AT 45 DEGREES / EACH  
1 2 T BARD FRONT MOUNT A/C 5KW HEAT -  
COVER NOT INCLUDED  
1 BARD A/C COVER - STAINLESS STEEL - VOIDS  
BARD WARRANTY  
1 BUILD TRAILER 5" SHORTER

TOTAL OVERALL HEIGHT  
147.84" TALL  
1 SAFTRY PACKAGE

CO DETECTOR  
SMOKE DETECTOR  
LP DETECTOR  
FIRE EXTINGUISHER  
1 AIR COMPRESSOR - 4HP PEAK WITH 4  
OUTLETS  
1 12 KW ONAN GENERATOR PKG. - QUIET  
DIESEL  
- Fuel Compartment  
- 13 Gallon Fuel Tank  
- 20" x 36" Fuel Door & Hook Up  
- Generator Wiring & Prep  
- Remote Start  
- Insulated Generator Box  
- Generator Door  
- Auto Transfer Switch  
1 UPGRADE TO 24 GALLON IN-FRAME FUEL  
TANK W/FUEL GAUGE  
18 HEAVY DUTY ATTIC WITH ATP FLOOR -  
RATED AT 35#/ SQ. FT.  
2 ROLLOVER SLEEPER/SOFA 72" LONG  
IN GARAGE AREA  
1 CUSTOM ENGINEERING FEE

38 ALUMINUM WALLS AND CEILING  
SCREWLESS/ FT (36" OR MORE EXTRA HEIGHT)  
12 CARPET 34" HIGH ON SIDEWALL / FT  
INSTALL ON BOTH WALLS STARTING FROM  
BACK DOOR FORWARD 12'  
38 CARPET ON THE WALLS / FT  
38 CARPET ON THE WALLS / FT  
38 BUBBLE FOIL INSULATED WALLS / FT (36"  
OR MORE EXTRA HEIGHT)  
38 BUBBLE FOIL INSULATED CEILING / FT -  
(Stacker)  
48 AIRLINE TRACK SURACE MOUNTED TO  
WALLS / FT - PAIR  
2 ROWS ON EACH WALL STARTING FROM  
BACK DOOR GOING 12' FORWARD  
1 BLACK MARBLE RAMP - INCLUDES  
ADVANTECH FLAP W/ATP  
38 BLACK COIN RUBBER FLOOR /FT (DOES NOT  
INCLUDE RAMP)  
4 UPGRADE RECESSED FLOOR SWIVEL D-RING  
6000# CAPACITY EACH  
36 AIRLINE TRACK SURFACE MOUNTED TO  
FLOOR / FT - PAIR  
LOCATED IN ATTIC 2 ROWS IN FLOOR AND ON  
STAKCER LIFT  
60 AIRLINE TRACK RECESSED IN FLOOR / FT  
SINGLE ROW

SEE DRAWINGS FOR PLACEMENT

50 AIRLINE TRACK DOUBLE STUDS TO THE DOWN

30 AIRLINE TRACK DOUBLE STUD TIE DOWN RING

10 MAC'S ADJUSTABLE WHEEL CHOCK w/SPREADER BAR

1 BUILD TRAILER AS 8' NOT 8.5 OVER ALL WIDTH TO BE 8.2"

1 INFLOOR COMPARTMENT FOR STACKER LIFT MOTOR

1 REMOVABLE DINETTE TABLE

4 POST W/WALL STORAGE BETWEEN SLEEPER SOFAS IN GARAGE AREA. STORAGE FOR TABLE IN GOOSE AREA

1 LOWER CABINET - STRAIGHT ACROSS LOCATE AFTER SIDE DOOR & INFRONT OF CLOSET

1 DRESSER CLOSET (STAND ALONE OR ADD TO END OF L-SHAPE)

1 4' BASE CABINET LOCATE AFTER GENERATOR COMPARTMENT INFRONT OF C-TECH CABINETS

1 CUSTOM TRANSITION FLAP FROM LIFT TO ATTIC

1 LADDER TO ATTIC

1 TRANSITION FLAPS FOR RAMP OVERS AT REAR LIFT POST

Dealer Custom Option Pending manufacturer approval

1 ENCLOSE GOOSENECK WITH ATP AND (2) 36" X 24"