

This trailer was built for Meijer to travel to some colleges and display the products they offer to college students, low the students to call home, in addition to, ordering products in the trailer and have delivered to their dorm room or house.

Product: 2015 Quest Aluminum Trailers

Width: 8.5 ft

Length: 16 ft

Height: 7.5 ft

Warranty: 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

Axles: (2) 3500# Torsion

Color: Polar White

VIN: â€E198909

Model #: QSTAB8516+0-2T3.5K

FRAME

- FULL PERIMETER ALUMINUM FRAME
- ALL TUBE CONSTRUCTION
- FLOOR DESIGN - FLAT
- 16" O/C WALL SUPPORTS
- 16" O/C ROOF CROSSMEMBERS - 1" x 3"
- 5000# ZINC TOP WIND JACK
- FRONT DESIGN - FLAT
- 7-WAY PLUG
- COUPLER - 2-5/16"
- 16" O/C FLOOR CROSSMEMBERS
- SPREAD AXLE DESIGN WITH FENDERETTES
- (2) AXLES, 3500# TORSION, EZ LUBE, W/ BRAKES,
- ST205/75R15/LRC RADIAL TIRE ON GREY MOD WHEEL

INTERIOR

- FLOORING - ADVANTECH - 3/4"
- 3/8" PLYWOOD WALLS
- OPEN STUD CEILING
- SMOOTH ALUM. RADIUS WHEEL BOXES
- (2) SURFACE MOUNT DOME LIGHTS WITH WALL SWITCH - LED

EXTERIOR

- (1) ROOF VENT
- 3" LOWER RUB RAIL TRIM
- 3" UPPER RUB RAIL TRIM
- .030 ALUMINUM
- ONE PIECE ALUMINUM ROOF
- DOUBLE REAR CARGO DOORS
- 24" ATP STONEGUARD WITH J-RAIL
- LED CLEARANCE & BRAKE LIGHTS
- COLOR MATCHED FRONT CORNERS
- 32" DOOR - 405 SERIES ENTRY - FLUSH LOCK LATCH
- SCREWLESS EXTERIOR

Selected Options:

- 1 CUSTOM DESING BUILD TO 8.5 X 10' BASE FRAME
- 3 Ft OPEN PORCH - FULL WIDTH OF TRAILER
- INSTALL AT REAR OF TRAILER
- 1 PARTITION WALL - WELDED CONSTRUCTION
- TO SEPARATE ROOM AND PLACE TO MOUNT ADJUSTABLE MONITORS
- *** Wall Covering To Match Interior Walls Unless Otherwise Specified ***
- 11 ft SUB BASEMENT FOR STORAGE
- THIS WILL BE USED AS A STORAGE AREA UNDER TRAILER
- *** DOES NOT INCLUDE ACCESS DOORS ***
- INCLUDES CENTER SUPPORT WALL
- *** WILL REQUIRE OFFSET BARLOCKS FOR RAMP AND STAGE DOORS ****
- 11 ft 12" ADDITIONAL HEIGHT
- *** REAR DOOR OPENING DOES NOT EXCEED 7' HEIGHT UNLESS OPTIONED SEPARATELY ***
- *** ENTRANCE DOOR WILL NOT EXCEED 78" ***
- 1 pair FRONT SCISSOR JACKS (5000# CAPACITY EACH)
- 1 pair REAR SCISSOR JACKS (5000# CAPACITY EACH)
- 4 36" x 12" TOP HINGED BAGGAGE DOOR - 405 SERIES
- INSTALL UNDER FRAME FOR STORAGE AREA. TO ACCESS BELOW 2 DOORS ON EACH SIDE.

- NON-VENTED
- *** APPROXIMATE FINISHED OPENING 24" x 10" ***
- 24 ft 1/8" PREMIUM ACRYLIC SIDEWALL
- INCLUDES UV & SCRATCH PROTECTION
- 96" MAXIMUM ACRYLIC PANEL HEIGHT
- CONSISTENT PANEL & WALL STUD SPACING â€“ MAX 24" - SEE PRINT
- 1 CUSTOM FLIP UP AND FLIP DOWN SIGNAGE WITH L.E.D. LIGHTING
- DOUBLE LAYERED DESIGN
- SIGNAGE WILL FLIP UP AND BE 42" TALL AND 8' LONG
- WILL HAVE LED LIGHTING AROUND SIGN FOR NICE LIGHTING
- A SECTION OF SIGN WILL FOLD DOWN AND PRESENT AN AWNING LIKE
- FEATURE.
- LED LIGHTING INSTALLED
- 1 CUSTOM PORTABLE ALUMINUM FRAME STEPS WITH HAND RAIL
- CUSTOM DESIGN STEPS ON REAR OF TRAILER THAT WILL STORE IN LOCATION
- T.B.D.
- 48" WIDE
- 4 18" 12V RECTANGULAR L.E.D. LIGHT
- WILL HAVE TOTAL OF 6 INSIDE FOR LIGHTING
- Includes Recessed Trim Ring
- 2 UPGRADE STANDARD 12V L.E.D. DOME LIGHT TO 18" 12V RECTANGULAR L.E.D.
- LIGHT
- 2 BATTERY - 12V AGM (930 CA, 775 CCA)
- Includes Fuse Panel - No Battery Box
- 4 120V INTERIOR 15 AMP RECEPT
- GFCI PROTECTED WHERE REQUIRED BY CODE
- 4 120V EXTERIOR 15 AMP RECEPT ON GFCI PROTECTED CIRCUIT
- 1 55 AMP CONVERTER WITH BATTERY CHARGER
- 1 30 AMP BREAKER BOX
- 30 AMP @ 120V
- EXTERIOR POWER INLET (MOTORBASE)
- 25' SHORE CORD
- 1 HDMI CABLES RAN FOR MONITORS INSTALLED IN PARTITION WALL
- 1 INSTALL OF VIDEO CONFERENCING SYSTEMS
- MONITORS
- ADJUSTABLE MOUNT SYSTEM
- CAMERA AND MIC AIR SYSTEMS
- 1 DOUBLE GLASS DOORS INSTALLED ON BACK OF TRAILER
- 11 ft SCREWLESS ALUMINUM CEILING
- 11 ft 1" E.P.S. INSULATED CEILING (R-3)
- *** 1" E.P.S. (STYROFOAM) ***
- 11 ft BLACK COIN TPO FLOOR
- 1 GRAPHICS INSTALLED ON ALL 4 SIDES OF ROOF BANNER DESIGN WITH LOWER
- SKIRTING
- SKIRTING WILL COVER SIDES AND FRONT OF TRAILER BUT ONLY HAVE
- GRAPHICS ON SIDE PANELS.
- (2) Single Sided 35 in Height x 132 in Width 13 oz. Banner
- Single Sided Banner Material(s) Printed Digitally, 4 Color Process
- Layout Proof Required
- With Welded or Sewn Edge(s) (Not Specified); Top Bottom Left Right
- 100 in of Hook and Loop Velcro.
- Number of Originals: 1
- 1 2000EUI GENERATOR
- 1 CUSTOM FRONT WALL FRAME REDESIGN
- UPGRADE TO 3/8" THICK FRONT PANELS
- UPGRADE FRONT MAIN FRAME FROM 1" WALL POST TO 2" WALL POST IN ORDER
- TO SUPPORT THE FRAME STRUCTURE OF TRAILER.
- FRONT PANELS WILL BE FITTED WITH THROUGH-BOLTS FOR STRENGTH
- 1 INSTALL OF WHITE GRID WALL FRAMED OUT WITH CLEAR ACRYLIC WALL
- PANELS
- BUILD AND INSTALL OF GRIDWALL WITH CLEAR ACRYLIC PANELS
- BEHIND FOR FULL INTERIOR EXTERIOR VIEWING OF TRAILER.
- 1 CUSTOM INSTALL (2) X BOX ONES FOR FRONT TV'S
- ORDER AND INSTALL OF 2 XBOX ONE SYSTEMS IN TRAILER
- WIRED, UNLUNTED,

- INCLUDES 2 REMOTES EACH SYSTEM, AND CHARGING STATIONS
- INSTALLED AS WELL.
- (2) 32" TV'S INSTALLED.
- 1 INSTALL LED LIGHTING IN PRODUCT DISPLAY AREAS.
- LED LIGHTING WIRED INTO 12V POWER SYSTEM WITH CIRCUIT BREAKERS. AND INSTALLED IN PRODUCT AREAS ON 3 SIDES OF THE TRAILER.
- 1 GRID WALL ON SIDES OF PORCH AREA INSTALLED
- 1 BUTTON STYLE PROTECTIVE COVER
- TO BE DESIGNED AND INSTALLED ON FRONT AND SIDES OF TRAILER FOR WHEN TRAILER IS IN TRAVEL.
- 1 ADA RAMP SYSTEM
- 1 UPGRADE TO STAIR TRAC STAIR LIFT SYSTEM

Reference Unit Number E198909