

MODEL INFO

Configured Model #: QSTAG8532+0-2T8.0K

2016 Quest Aluminum Trailer

8.5'W x 32'L x 8.0'H, (2) 8000# Torsion Axle(s)

VIN: æGE203170

Warranty: 5 YR. STRUCTURAL, 3 YR. LTD, 1 YR. ELEC WARRANTY

Exterior Color: Polar White

Cabinet Color: Polar White

Cove Color: Polar White

Spring Box Color: Polar White

SPECIFICATIONS

Part Name	Qty	UOM	Ref.
BASE MODEL			
QSTAG8532+0-2T8.0K	1	ea	OPT
Modification: Delete Roof Vent			
PACKAGES			
PACKAGE - ELECTRICAL #3	1	ea	OPT
FRAME			
AXLE - 8000# - TORSION - EZ LUBE HUBS - ELECTRIC BRAKES	2	ea	STD
GROUND CLEARANCE: STANDARD (APPROX. 14.25" - NO LOAD)			
AXLE SPACING - SPREAD AXLE	1	ea	STD
ALL TUBE CONSTRUCTION	32	ft	STD
COUPLER - GOOSENECK - 2-5/16" - 25,000#	1	ea	STD
CROSS MEMBERS - FLOOR - 16" O/C	32	ft	STD
CROSS MEMBERS - ROOF - 16" O/C - 1" X 3"	32	ft	STD
CROSS MEMBERS - WALL - CS - 16" O/C - 2" X 2"	32	ft	OPT
CROSS MEMBERS - WALL - RS - 16" O/C - 1" X 1.5"	32	ft	STD
FLOOR DESIGN - FLAT	1	ea	STD
FRAME - 8"	32	ft	STD
FRAME - FULL PERIMETER - ALUMINUM	32	ft	STD
FRAME PROTECTION - SKID PLATES	1	pr	STD
FRONT DESIGN - FLAT	1	ea	STD
TANK - FUEL - GAS - 24 GALLON - TOP FILL - IN FRAME	1	ea	OPT
JACK - GOOSENECK - MANUAL - SINGLE SPEED	1	pr	STD
TIRE/WHEEL - 215/75R17.5/LRH - RADIAL ON ALUMINUM	4	ea	OPT
TRUCK PLUG - 7 WAY	1	ea	STD
EXTERIOR			
EXTERIOR ALUMINUM - STANDARD COLOR	32	ft	STD
Color: Polar White (Standard)			
EXTERIOR FASTENER - SCREWLESS	32	ft	STD
EXTERIOR ALUMINUM THICKNESS - .030	32	ft	STD
FENDERETTES - AL	4	ea	STD
ENCLOSED FRONT - ATP - WITH ACCESS PANEL	1	ea	STD
ROOF - ONE PIECE - ALUMINUM	32	ft	STD
TRIM - VERTICALS - FRONT - COLOR MATCHED	1	ea	STD
TRIM - HEADER - REAR - COLOR MATCHED	1	ea	STD
TRIM - VERTICALS - REAR - COLOR MATCHED	1	ea	STD
TRIM - RUB RAIL - UPPER - ALUMINUM - 3"	32	ft	STD
TRIM - RUB RAIL - LOWER - ALUMINUM - 3"	32	ft	STD
DOT TAPE	32	ft	STD
WINDOW - SLIDER W/ SCREEN - 36"W X 24"H	1	ea	OPT
DOORS			
DOOR - REAR RAMP - PREMIUM - CONTINUOUS ALUMINUM HINGE - 4000# RATED	1	ea	OPT
RAMP DOOR EXTERIOR - REAR - COLOR MATCHED	1	ea	OPT
TRANSITION FLAP - ADVANTECH - 3/4" - 16"L	1	ea	STD
RAMP DOOR FLOORING - REAR - ADVANTECH - 3/4"	1	ea	STD
DOOR HARDWARE - LATCH - BAR LOCK - ALUMINUM	1	pr	STD
HASP - STAINLESS STEEL - FOR CAM BARS/BAR LOCKS ON RAMP DOOR	1	pr	OPT
DOOR - ENTRANCE - 405 SERIES - 32" X 78" - FLUSH LOCK	1	ea	STD
RIGHT HINGE			
DOOR - ACCESS - 405 SERIES - 8" X 8"	1	ea	OPT
LEFT HINGE			
DOOR - FUEL - CAST ALUMINUM - LOCKABLE	1	ea	PKG

DOOR - GENERATOR - 405 SERIES - 48" X 36"	1	ea	OPT
TOP HINGE			
STRAP LIFT MECHANISM - 2 STRAPS - FOR CUSTOM STAGE DOOR	1	ea	OPT
(2) 5000# D-RINGS			
INTERIOR MANUAL SWITCH			
WIRELESS REMOTE			
BATTERY REQUIRED FOR OPERATION - NOT INCLUDED			
STAGE LEG FOR RAMP/STAGE - (STANDARD TRAILERS)	4	ea	OPT
INTERIOR			
INTERIOR HEIGHT - 8.0'	32	ft	OPT
CABINET - ALUMINUM - LOWER - STRAIGHT - 72"W	1	ea	OPT
Cabinet Color: Polar White			
GROMMET - 2" - IN COUNTERTOP / DESK	2	ea	OPT
INTERIOR CEILING - WHITE VINYL	32	ft	OPT
Cove Color: Polar White			
Spring Box Color: Polar White			
INTERIOR WALLS - WHITE VINYL WITH HMOLDING	32	ft	OPT
FLOORING - ADVANTECH - 3/4"	32	ft	STD
FLOOR LINER - ROLL-ON	32	ft	OPT
STEPS - LEADING INTO GOOSENECK - ATP - 24"W	1	ea	OPT
WHEEL BOX - SMOOTH AL	2	ea	STD
ELECTRICAL			
BATTERY - 12V AGM (930 CA, 775 CCA)	1	ea	PKG
BATTERY - 12V AGM (930 CA, 775 CCA)	2	ea	OPT
SWITCH - POWER CUT-OFF - MANUAL - 12V	1	ea	PKG
BREAKER BOX - 50 AMP - 60 AMP CONVERTER - 12V FUSE PANEL - INTELI-POWER UNIT	1	ea	PKG
POWER INLET - MOTORBASE - 50A - W/ SHORE CORD - 25'	1	ea	PKG
LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER	4	ea	STD
LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER	9	ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - LOWER	2	ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - UPPER	7	ea	STD
LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED	1	pr	STD
LIGHT - SCENE - LED - HIGH OUTPUT - 12V - NON RECESSED - 7" X 3"	4	ea	PKG
SWITCH - WALL - 12V	1	ea	PKG
Used For: Exterior Scene Lights			
RECEPTACLE - INTERIOR - 120V - 15A	12	ea	PKG
GFCI PROTECTED WHERE REQUIRED BY CODE			
RECEPTACLE - EXTERIOR - 120V - 15A - GFI PROTECTED	3	ea	PKG
LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W TRIM RING	8	ea	PKG
SWITCH - WALL - 3 WAY - 12V	1	pr	OPT
USED FOR: LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W TRIM RING			
SWITCH - RELAY - 12V - 30A	2	ea	OPT
FUEL GAUGE	1	ea	OPT
GENERATOR WIRE PREP - 50A	1	ea	OPT
GENERATOR COMPARTMENT - INSULATED - IN BUNK AREA	1	ea	OPT
GEN DOOR NOT INCLUDED			
INCLUDES GALVANIZED LINER			
COLOR: Polar White			
TRANSFER SWITCH - AUTO - 50A	1	ea	OPT
HEATING & AIR CONDITIONING			
A/C W/ HEAT PUMP - 13,500 BTU - LOW PROFILE - 10.5" - WHITE	1	ea	OPT
THERMOSTAT - A/C - MOUNTED TO WALL - WHITE	1	ea	OPT
ATC CUSTOM OPTIONS			
STAGE DOOR - 15' LENGTH	1	ea	
DOES NOT INCLUDE STAGE LEGS			
DOES NOT INCLUDE SPRING ASSIST			
DOES NOT INCLUDE RAILING			
INSERT - STAGE DOOR - HINGED - ILO STANDARD INSERT	1	ea	
INCLUDES (2) SOFT TOUCH KNOBS TO FASTEN INSERT WHEN DOOR IS CLOSED			
PARTITION WALL - WELDED CONSTRUCTION - ANGLED DESIGN	1	ea	
AWNING - 15' - TUBE CONSTRUCTION - TOP HINGED - OVER STAGE	1	ea	
FOLDS DOWN OVER TOP OF STAGE AFTER STAGE IS CLOSED			
*** OPENS SOLELY BY MAN-POWER - NO HYDRAULICS OR GAS SHOCKS ***			

SKINNED WITH ALUMINUM ON TOP AND BOTTOM
REQUIRES TWO ADJUSTABLE HEIGHT POSTS AT EACH CORNER
REQUIRES STAGE DOOR TO HAVE STAINLESS STEEL PADDLE LATCHES ILO BARLOCKS
(INCLUDED)
INCLUDES RUBBER HINGE COVER

CABINET - ALUMINUM - BUILDOUT FOR INTELLI-POWER UNIT	1	ea
DOOR HARDWARE - STAGE HINGE COVER - .125" SMOOTH ALUMINUM - ILO STANDARD INSERTS	2	ea
INTERIOR WALL - CARPET - OVER 3/8" PLYWOOD - ON WALL BEHIND STAGE (EXTERIOR SIDE)	1	ea

When Calling, Reference VIN E203170