



110 East North Avenue, Carol Stream, IL 60188 Toll Free 800-832-5331 ph. (630) 580-5840 fx (630) 580-5843

## 2018 MTI 6.0' Wide MWT Series Trailer

Model	Description
MWT6X12SA	MWT 6 x 12 SA Spring (Standard)

Exterior Color: Indigo Blue

SELECTED OPTIONS			
Option Code	Description	Unit of Measure	Quantity
17.05	Add 6 in height [6' Wide Units ]	LF	14
2.01	Upgrade to Gray Mod Rims -- In Place of White Mod Rims	ea.	2
4.21	Radial Tires -- In Place of Bias Only	ea.	2
6.09	Stabilizer Jacks (Light Duty) 650 lb. - Flip Up	pr.	1
14.54	Metal Door Holdbacks In Place Of Plastic	ea.	1
1.16	Screwless Package	Ft.	14
	Screwless Exterior Metal		
	16" On-Center Sidewalls		



# MIDDLEBURY TRAILERS

## MWT 5', 6' 7' & 8.5' Wide Series

Spring Axle  
Flat Top  
18" Wedge  
Cargo Trailer



*Total Body Length  
Does Not  
Include Wedge*

### STANDARD FEATURES & SPECIFICATIONS

#### Hitch

2" Coupler - Single Axle Models

2,000 lb. Top Wind Jack w\Sand Pad  
Safety Chains

#### Axle

##### 6' Wides

SA Models - 3,000 lb. Spring Idler Axle  
SAE Models - 3,500 lb. Spring Brake Axle  
TA2 Models - 3,500 lb. Spring Brake Axles  
TA3 Models - 5,200 lb. Spring Brake Axles

#### Tires and Rims

ST205/75D15 Bias w\White Wheels on 3,000 lb. and  
3,500 lb. axles  
ST225/75R15 Radial w\White Wheels on 5,200 lb Axles

#### Frame

24" On Center Roof and Walls  
24" On-Center Floor  
18" Wedge Nose  
Undercoated Frame

#### Side Door - All Doors with NO Step

##### 5', 6', 7' Wides

32" Door w\Barlock on 10' and Londer 5' & 6' Wide Models

#### Rear Door

Width	Single Door	Double Door	Ramp Door
6'		X	*Light Duty

\* Light Duty Ramp Door has a 1,000 lb. capacity

#### Interior

3/4" Engineered Wood Flooring  
3/8" Plywood Walls Trimmed Out with Lauan

#### Interior Heights

6' Wides - 6'

#### Exterior

Flow-Thru Sidewall Vents  
.030 Exterior Metal  
Inverted ATP Stoneguard  
Galvanized Steel Roof  
ATP Rear Corners and Header  
ATP Fenders  
1-1/2" Lower Trim  
3" Top Rail

#### Electrical

(1) 12-Volt Dome Light  
4-Way Plug on Idler Axles

LED Strip Tail Light/Brake Lights, Surface Mounted  
LED Surface Mounted Clearance Lights



## MIDDLEBURY TRAILERS

### STANDARD DIMENSIONS CHART

Round Top Cargos	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	61"	73"	73"	73"	78"	78"
Overall Exterior Height	81"	93"	96"	96"	102"	102"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	54"	66"	66"	66"	72"	72"

RWT/MWT	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	66"	72"	73"	73"	78"	78"
Overall Exterior Height	84"	91"	92"	92"	100"	100"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	60"	66"	66"	66"	72"	72"

\* WB = Wheel Well Box

\*\* Single axle model heights shown. Tandem axle models are 1" taller in height.

\*\*\* Heights for 6" frames shown. 7x10TA2 and 7x12TA2 are 2" shorter in height.

While All dimensions are listed as accurately as possible, please note any critical dimensions when ordering.

#### Extra Height Specifications

When extra height is added to a unit, the rear door opening will be raised the same extra height unless otherwise specified.

Extra Charges apply for ramp doors that are over the standard height.

Walk-in door openings will also be raised with extra height unless otherwise specified.

Walk-in door openings will be raised to a maximum of 78" including any stepwell in the opening.