



110 East North Avenue, Carol Stream, IL 60188 Toll Free 800-832-5331 ph. (630) 580-5840 fx (630) 580-5843

## 2017 MTI 8.5' Wide Round Top Cargo Trailer

Model	Description
8.5X18TA3	8.5 x 18 TA3 MST (Spring Axle)

SELECTED OPTIONS			
Option Code	Description	Unit of Measure	Quantity
16.07	8' and 8.5' Wide Units	LF	18
3.10	ST225/75R15D Radial Tire On White Mod 6 Bolt Wheel	ea.	1
4.13	3rd Member Tongue	ea.	1
3.141	Upgrade to 3/8in Plywood ILO Luan Walls	Unit	1
4.16	Spare Tire Carrier - Interior Mount - ROADSIDE FRONT WALL	ea.	1
14.32	Roof Vent - Non-Powered 14" x 14"	ea.	1
14.36	Plastic Flow-thru Sidewall Vents (3" round)	pr.	1

Please call for current pricing, additional information, or with any questions.



# MIDDLEBURY TRAILERS

## MST Series

5', 6', & 7' Wides  
Round Top  
Cargo Trailer



MST Shown with Options:  
Two-Tone Metal  
Brite Aluminum Corners

### STANDARD FEATURES & SPECIFICATIONS

#### Hitch

2-5/16" Coupler with Safety Chains - Tandem Axles  
2,000 lb. Top Wind Jack w/Sand Pad

#### Axle

MST = Spring Axles

Brake Axles on SAE and Tandem Axle Models

#### Tires and Rims

"D" = Bias-Ply Tires, "R" = Radial Tires

##### MST

3,000 lb. Axle ST205/75D15

3,500 lb. Axle ST205/75D15

5,200 lb. Axle ST225/75R15 ST225/75R15

White Wheels Standard on MST and MTT Models

#### Frame

All Frames are Undercoated

	Floor	Walls	Roof
MST 5', 6', & 7' Wides	24" o.c.	24" o.c.	24" o.c.
All 8.5' Wides	24" o.c.	16" o.c.	24" o.c.
All TA3 Axles	16" o.c.	16" o.c.	24" o.c.

#### Side Door

8.5' Wide, 18' & Above -- 48" Camlock Door & No Step\*

#### Rear Doors

Width	Single Door	Double Door	Ramp Door
5'	X	X	Light Duty
6'		X	Light Duty
7'		X	Light Duty
8.5'		X	

\* Light Duty Ramp Door has a 1,000 lb. capacity

#### Interior

3/4" Engineered Wood Flooring

MST - Lauan Walls, Trimmed with Lauan

#### Interior Heights

8.5' Wides - 6' 6"

#### Exterior

.030 Exterior Metal

Fiberglass Cap

24" ATP Stoneguard

Galvanized Steel Roof

Aluminum Fenders

3" Lower Trim

#### Electrical

Breakaway Box, Battery, & Switch On Electric Brake Axles

(2) 12-Volt Dome Lights With Switch

7-Way Plug on Electric Brake Axles

4-Way Plug on Idler Axles

LED Strip Tail Light/Brake Lights, Surface Mounted

LED Surface Mounted Clearance Lights



## MIDDLEBURY TRAILERS

### STANDARD DIMENSIONS CHART

Round Top Cargos	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	61"	73"	73"	73"	78"	78"
Overall Exterior Height	81"	93"	96"	96"	102"	102"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	54"	66"	66"	66"	72"	72"

RWT/MWT	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	66"	72"	73"	73"	78"	78"
Overall Exterior Height	84"	91"	92"	92"	100"	100"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	60"	66"	66"	66"	72"	72"

\* WB = Wheel Well Box

\*\* Single axle model heights shown. Tandem axle models are 1" taller in height.

\*\*\* Heights for 6" frames shown. 7x10TA2 and 7x12TA2 are 2" shorter in height.

While All dimensions are listed as accurately as possible, please note any critical dimensions when ordering.

#### Extra Height Specifications

When extra height is added to a unit, the rear door opening will be raised the same extra height unless otherwise specified.

Extra Charges apply for ramp doors that are over the standard height.

Walk-in door openings will also be raised with extra height unless otherwise specified.

Walk-in door openings will be raised to a maximum of 78" including any stepwell in the opening.