



ADVANTAGE TRAILERS AND HITCHES

110 E. North Ave.
 Carol Stream, IL 60188
 888-280-6695
 www.advantagetrailer.com

MODEL INFO

Configured Model #: QSTAB7514+2-2T3.5K

Quest Aluminum Trailer

7.5'W x 14' + 2'L x 7.0'H, (2) 3500# Torsion Axle(s)

VIN: ...HE205488

Warranty: 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

COLOR: Silver Frost

COLOR - CABINETS: Victory Red

SPECIFICATIONS

| Part Name | Qty | UOM | Ref. |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|------|
| BASE MODEL | | | |
| QSTAB7514+0-2T3.5K | 1 | ea | OPT |
| PACKAGES | | | |
| PACKAGE - MOTORCYCLE HAULER - MC 100 <ul style="list-style-type: none"> Modification: No D-Rings | 1 | ea | OPT |
| PACKAGE - ELECTRICAL #2 | 1 | ea | OPT |
| FRAME | | | |
| AXLE - 3500# - TORSION - EZ LUBE HUBS - ELECTRIC BRAKES <ul style="list-style-type: none"> GROUND CLEARANCE: STANDARD (APPROX. 14.25" - NO LOAD) | 2 | ea | STD |
| AXLE SPACING - NO SPREAD | 1 | ea | STD |
| ALL TUBE CONSTRUCTION | 16 | ft | STD |
| COUPLER - A-FRAME - 2-5/16" - 10,000# | 1 | ea | STD |
| CROSS MEMBERS - FLOOR - 16" O/C | 16 | ft | OPT |
| CROSS MEMBERS - ROOF - 16" O/C - 1" X 2" | 16 | ft | STD |
| CROSS MEMBERS - WALL - CS - 16" O/C - 1" X 1.5" | 16 | ft | STD |
| CROSS MEMBERS - WALL - RS - 16" O/C - 1" X 1.5" | 16 | ft | STD |
| FLOOR DESIGN - FLAT | 1 | ea | STD |
| FRAME - 5" | 16 | ft | STD |
| FRAME - FULL PERIMETER - ALUMINUM | 16 | ft | STD |
| FRAME PROTECTION - SKID PLATES | 1 | pr | STD |
| FRONT DESIGN - 2' WEDGE | 1 | ea | OPT |
| JACK - TONGUE - SIDE WIND - 2000# | 1 | ea | STD |

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| JACK - STABILIZER - FOLD DOWN - 2000# • Location: REAR | 1 pr | OPT |
| TIRE/WHEEL - ST205/75R15/LRD - RADIAL ON ALUMINUM - W/STAINLESS STEEL LUGNUTS | 4 ea | OPT |
| SPARE TIRE/WHEEL - ST205/75R15/LRD - RADIAL ON GREY MOD | 1 ea | OPT |
| SPARE TIRE COMPARTMENT - IN FLOOR | 1 ea | OPT |
| TONGUE - STANDARD | 1 ea | STD |
| TRUCK PLUG - 7 WAY - BUMPER PULL | 1 ea | STD |
| EXTERIOR | | |
| EXTERIOR ALUMINUM - STANDARD COLOR • Color: SilverFrost (Standard) | 16 ft | STD |
| EXTERIOR FASTENER - SCREWLESS | 16 ft | STD |
| EXTERIOR ALUMINUM THICKNESS - .030 | 16 ft | STD |
| FENDERS - AL | 2 ea | STD |
| GRAVEL GUARD - ATP - 24" - WITH J RAIL | 1 ea | STD |
| ROOF - ONE PIECE - ALUMINUM | 16 ft | STD |
| TRIM - WEDGE NOSE - STAINLESS STEEL | 1 ea | OPT |
| TRIM - HEADER - REAR - COLOR MATCHED | 1 ea | STD |
| TRIM - VERTICALS - REAR - COLOR MATCHED | 1 ea | STD |
| TRIM - RUB RAIL - UPPER - ALUMINUM - 4" | 16 ft | OPT |
| TRIM - RUB RAIL - LOWER - ALUMINUM - 7" | 16 ft | OPT |
| VENT - ROOF - 12V FANTASTIC FAN • RAIN SENSOR • REVERSIBLE FAN • WALL MOUNT THERMOSTAT • BATTERY NOT INCLUDED | 1 ea | OPT |
| VENT SYSTEM - FLOW THROUGH | 1 pr | OPT |
| WINDOW - SLIDER W/ SCREEN - 30"W X 22"H - ROADSIDE | 1 ea | OPT |
| DOORS | | |
| DOOR - REAR RAMP - PREMIUM - CONTINUOUS ALUMINUM HINGE - 4000# RATED | 1 ea | PKG |
| RAMP DOOR EXTERIOR - REAR - COLOR MATCHED | 1 ea | PKG |
| TRANSITION FLAP - TPO - GRAY COIN - 16"L | 1 ea | PKG |
| RAMP DOOR FLOORING - REAR - TPO - GRAY COIN | 1 ea | OPT |
| DOOR HARDWARE - LATCH - PADDLE - STAINLESS STEEL | 1 pr | OPT |
| DOOR - ENTRANCE WITH SCREEN DOOR - 455 SERIES - 32" X 72" - TINTED WINDOW - FMVSS LOCK • RIGHT HINGE | 1 ea | OPT |
| GAS SHOCK ON ENTRANCE DOOR | 1 ea | OPT |
| INTERIOR | | |
| INTERIOR HEIGHT - 7.0' | 16 ft | OPT |
| CABINET - ALUMINUM - UPPER - STRAIGHT - WEDGE - FULL WIDTH X 26"D - W/ RADIUS LOWER EDGE - TOP HINGED DOORS AND GAS SHOCKS • Cabinet Color: Victory Red • LOCATION: FRONT WALL | 1 ea | OPT |
| INTERIOR CEILING - SCREWLESS ALUMINUM • Cove Color: Polar White • Ceiling Color: Polar White (Standard) • Spring Box Color: Polar White | 16 ft | OPT |
| INSULATION - CEILING - CLOSED CELL - 1" - R-6.5 | 16 ft | OPT |
| INTERIOR WALLS - SCREWLESS ALUMINUM • Wall Color: SilverFrost (Standard) | 16 ft | OPT |
| INSULATION - WALLS - CLOSED CELL - 1" - R-6.5 • BUBBLE FOIL INSULATION INSTALLED ALONG WIRING RUNS | 16 ft | OPT |

- NOT RECOMMENDED FOR COLD TEMPERATURES

| | | |
|-------------------------------------------------------------------------------------------------------------------------------|-------|-----|
| FLOORING - TPO - GRAY COIN | 16 ft | OPT |
| AIRLINE TRACK - RECESSED - FLOOR | 33 ft | OPT |
| AIRLINE TRACK TIE DOWN RING | 4 ea | OPT |
| WHEEL BOX - AL - 2.5" | 2 ea | STD |
| ELECTRICAL | | |
| BATTERY - 12V AGM (930 CA, 775 CCA) | 1 ea | PKG |
| BREAKER BOX - 30 AMP - 120V ONLY - 60 AMP CONVERTER - 12V FUSE PANEL - INTELI-POWER UNIT | 1 ea | PKG |
| SWITCH - POWER CUT-OFF - MANUAL - 12V | 1 ea | PKG |
| POWER INLET - MOTORBASE - 30A - W/ SHORE CORD - 25' | 1 ea | PKG |
| LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER | 2 ea | STD |
| LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER | 4 ea | STD |
| LIGHT - CLEARANCE - LED - 12V - RED - LOWER | 2 ea | STD |
| LIGHT - CLEARANCE - LED - 12V - RED - UPPER | 5 ea | STD |
| LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED | 1 pr | STD |
| LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED | 1 pr | PKG |
| RECEPT - INTERIOR - 120V - 15A | 3 ea | PKG |
| <ul style="list-style-type: none"> • GFCI PROTECTED WHERE REQUIRED BY CODE | | |
| LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING | 3 ea | PKG |
| SWITCH - WALL - 12V | 1 ea | OPT |
| <ul style="list-style-type: none"> • USED FOR: LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING | | |
| HEATING & AIR CONDITIONING | | |
| A/C W/ HEAT STRIP - 13,500 BTU - LOW PROFILE - 10.5" - WHITE - W/ MANUAL CONTROLS | 1 ea | OPT |
| ATC CUSTOM OPTIONS | | |
| AWNING - MANUAL WITH ALUMINUM WEATHERSHIELD - 13' - SILVER - ONYX VINYL FABRIC | 1 ea | |
| CABINET - ALUMINUM - LOWER - ALUMINUM COUNTERTOP - 40"H X 30"D | 2 ft | |
| COUNTERTOP - ALUMINUM - FULL DEPTH - 2' WEDGE | 1 ea | |

Please call for current pricing, additional information, or with any questions.