



MODEL INFO

Configured Model #: QSTSB8521+0-2T5.2K
 Quest Steel Trailer
 8.5'W x 21'L x 8.0'H, (2) 5200# Torsion Axle(s)
VIN: ...HE205818
Warranty: 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

COLOR: Dark Gray Metallic (Standard)
REAR COLOR: None
COLOR - CABINETS: Dark Gray Metallic

SPECIFICATIONS

Part Name	Qty	UOM	Ref.
BASE MODEL			
QSTSB8522+0-2T5.2K	1	ea	OPT
<ul style="list-style-type: none"> Modification: DELETE 1' OF LENGTH Modification: Delete Roof Vent 			
FRAME			
AXLE - 5200# - TORSION - EZ LUBE HUBS - ELECTRIC BRAKES	2	ea	STD
<ul style="list-style-type: none"> GROUND CLEARANCE: STANDARD (APPROX. 14.25" - NO LOAD) 			
AXLE SPACING - SPREAD AXLE	1	ea	STD
ALL TUBE WALL CONSTRUCTION	21	ft	STD
COUPLER - A-FRAME - 2-5/16" - 15,000#	1	ea	OPT
CROSS MEMBERS - FLOOR - 16" O/C	21	ft	STD
CROSS MEMBERS - ROOF - 16" O/C - 1" X 3"	21	ft	STD
CROSS MEMBERS - WALL - CS - 16" O/C - 2" X 2"	21	ft	OPT
CROSS MEMBERS - WALL - RS - 16" O/C - 1" X 1.5"	21	ft	STD
FLOOR DESIGN - FLAT	1	ea	STD
FRAME - 8"	21	ft	OPT
FRAME - FULL PERIMETER - STEEL - PAINTED	21	ft	STD
FRAME PROTECTION - SKID PLATES	1	pr	STD
FRAME PROTECTION - BOGEY WHEELS	1	pr	OPT
FRONT DESIGN - FLAT	1	ea	STD
JACK - TONGUE - TOP WIND - 5000# - ZINC	1	ea	STD
TIRE/WHEEL - ST225/75R15/LRE - RADIAL ON GREY MOD	4	ea	STD
TONGUE - EXTENDED TRIPLE TUBE - 12"	1	ea	OPT

WEIGHT DISTRIBUTION PREP - INCLUDES HANGERS - FLAT	1 ea	OPT
TRUCK PLUG - 7 WAY - BUMPER PULL	1 ea	STD
EXTERIOR		
EXTERIOR ALUMINUM - STANDARD COLOR	21 ft	STD
<ul style="list-style-type: none"> Color: Dark Gray Metallic (Standard) 		
EXTERIOR FASTENER - SCREWLESS	21 ft	STD
EXTERIOR ALUMINUM THICKNESS - .030	21 ft	STD
RAILING - VIEWING RAIL - ALUMINUM - FOLD DOWN	38 ft	OPT
FENDERETTES - AL	4 ea	STD
GRAVEL GUARD - ATP - 24" - WITH J RAIL	1 ea	STD
LADDER - EXTERIOR - FIXED UP AND OVER	1 ea	OPT
ROOF - ONE PIECE - ALUMINUM	21 ft	STD
ROOF - WALK ON - PLYWOOD - 3/8"	21 ft	OPT
<ul style="list-style-type: none"> 175 LBF / LINEAR FT - NOT TO EXCEED 2000# FOR ENTIRE ROOF 		
TRIM - VERTICALS - FRONT - COLOR MATCHED	1 ea	STD
TRIM - HEADER - REAR - COLOR MATCHED	1 ea	STD
TRIM - VERTICALS - REAR - COLOR MATCHED	1 ea	STD
TRIM - RUB RAIL - UPPER - ALUMINUM - 3"	21 ft	STD
TRIM - RUB RAIL - LOWER - ALUMINUM - 3"	21 ft	STD
DOORS		
DOOR - REAR RAMP - PREMIUM - CONTINUOUS ALUMINUM HINGE - 4000# RATED	1 ea	OPT
<ul style="list-style-type: none"> NO TRANSITION FLAP 		
RAMP DOOR EXTERIOR - REAR - COLOR MATCHED	1 ea	OPT
RAMP DOOR FLOORING - REAR - TPO - GRAY COIN	1 ea	OPT
DOOR HARDWARE - LATCH - PADDLE - STAINLESS STEEL	1 pr	OPT
DOOR - ENTRANCE - 405 SERIES - 36" X 78" - FLUSH LOCK	1 ea	OPT
<ul style="list-style-type: none"> LEFT HINGE 		
GAS SHOCK ON ENTRANCE DOOR	1 ea	OPT
GAS SHOCK - 180 DEGREES	1 pr	OPT
STRAP LIFT MECHANISM - 1 STRAP	1 ea	OPT
<ul style="list-style-type: none"> (1) 5000# D-RING INTERIOR MANUAL SWITCH WIRELESS REMOTE BATTERY REQUIRED FOR OPERATION - NOT INCLUDED 		
STAGE LEG FOR RAMP/STAGE - (STANDARD TRAILERS)	5 ea	OPT
INTERIOR		
INTERIOR HEIGHT - 8.0'	21 ft	OPT
INTERIOR CEILING - SCREWLESS ALUMINUM	21 ft	OPT
<ul style="list-style-type: none"> Cove Color: Dark Gray Metallic Ceiling Color: Silver Frost (Standard) Spring Box Color: Dark Gray Metallic 		
INSULATION - CEILING - CLOSED CELL - 1" - R-6.5	21 ft	OPT
INTERIOR WALLS - SCREWLESS ALUMINUM	21 ft	OPT
<ul style="list-style-type: none"> Wall Color: Silver Frost (Standard) 		
INSULATION - WALLS - CLOSED CELL - 1" - R-6.5	21 ft	OPT
<ul style="list-style-type: none"> BUBBLE FOIL INSULATION INSTALLED ALONG WIRING RUNS NOT RECOMMENDED FOR COLD TEMPERATURES 		
FLOORING - TPO - GRAY COIN	33 ft	OPT
WHEEL BOX - SMOOTH AL	2 ea	STD
ELECTRICAL		
BREAKER BOX - 100 AMP	1 ea	OPT

- 12 SPACE, 24 CIRCUIT PANEL
- 50 AMP MAIN BREAKER

BATTERY - 12V AGM (930 CA, 775 CCA)	1 ea	OPT
CONVERTER - 55 AMP WITH BATTERY CHARGER	1 ea	OPT
POWER INLET - MOTORBASE - 50A - W/ SHORE CORD - 25'	1 ea	OPT
LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER	4 ea	STD
LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER	9 ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - LOWER	2 ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - UPPER	7 ea	STD
LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED	1 pr	STD
RECEPTACLE - INTERIOR - 120V - 15A - BLACK	8 ea	OPT
• GFCI PROTECTED WHERE REQUIRED BY CODE		
RECEPTACLE - EXTERIOR - 120V - 15A - GFI PROTECTED - BLACK	1 ea	OPT
LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING	5 ea	OPT
SWITCH - RELAY - 12V - 30A	1 ea	OPT
WIRING - 240V - 1PH - 50A	2 ea	OPT
• RECEPTACLE NOT INCLUDED		

ELECTRONICS

STEREO - AM/FM/CD/MP3	1 ea	OPT
• ANTENNA AND SIRIUS UNIVERSAL TUNER INCLUDED		
• SIRIUS READY AND I-POD READY		
• 12V BATTERY NOT INCLUDED		
• BLUETOOTH READY		
SPEAKER - CEILING - RECESSED	4 ea	OPT
SPEAKER - EXTERIOR W/ AMP	1 pr	OPT

HEATING & AIR CONDITIONING

A/C - 13,500 BTU - LOW PROFILE - 10.5" - BLACK	1 ea	OPT
THERMOSTAT - A/C - MOUNTED TO WALL - BLACK	1 ea	OPT
A/C DRAIN SYSTEM - IN WALL	1 ea	OPT

DEALER CUSTOM OPTIONS

1200# WEIGHT DISTRIBUTION SET UP	1 ea	
----------------------------------	------	--

ATC CUSTOM OPTIONS

AWNING - 12V LATERAL ARM WITH ALUMINUM CASE - 16' - BLACK - ONYX ACRYLIC FABRIC	1 ea	
• 12V LATERAL ARM		
• INCLUDES WIND SENSOR		
• WIRELESS REMOTE		
AWNING - 12V LATERAL ARM WITH ALUMINUM CASE - 8' - BLACK - ONYX VINYL FABRIC	1 ea	
• 12V LATERAL ARM		
• WIRELESS REMOTE		
• INCLUDES WIND SENSOR		
BACKER - STEEL - 12 GA - IN CEILING	2 sq	
BANNER RAIL - PROP-UP - FACED W/ WHITE ALUMINUM - 30"H	16 ft	
CABINET - ALUMINUM - LOWER - STRAIGHT - 96"W X 40"H X 14"D	1 ea	
• MILL FINISH ALUMINUM COUNTERTOP		
DOOR - ACCESS - 34"W X 32"H	1 ea	
DOOR - ACCESS - 405 SERIES - 22" X 36" - RIGHT HINGE	1 ea	
• INCLUDES GAS SHOCK		
DOOR LATCH - PADDLE - STAINLESS STEEL	1 pr	
GENERATOR - 25.0 KW POWERTECH PKG. - (120V/240V) - SINGLE PHASE - DIESEL - 50 GALLON	1 ea	
• (2) 50 AMP AUTO TRANSFER SWITCHES		
• 54" x 36" 405 SERIES NON-VENTED TOP HINGED GEN DOOR WITH SHOCKS		
• ADD (2) BREAKER BOXES; (1) GENERATOR SUB-PANEL INSIDE GEN BOX, (1) SECOND LOAD CENTER INSIDE		

TRAILER

- ADD SECOND MOTORBASE PLUG & SHORE CORD
- BATTERY - 12V AGM (930 CA, 775CCA)
- EXHAUST VENTED THROUGH ROOF
- FUEL GAUGE
- INSULATED GENERATOR COMPARTMENT WITH GALVANIZED LINER
- ISOMETRIC RUBBER ISOLATORS
- REMOTE START & GAUGES
- 50 GALLON IN FRAME FUEL TANK
- 30 X 35.75 SCREWED IN EXPANDED METAL IN FLOOR ON CS
- EXPANDED METAL VENT IN RS WALL
- BAFFLE GEN AIR OUT TO RS SIDEWALL VENT

GENERATOR COMPARTMENT LINER - WHISPERMATAACOUSTIC FOAM	1 ea
STAGE DOOR - 12' LENGTH	1 ea
STEP - MOVABLE - MATCH FLOOR COVERING - 36"W X 9"H X 20"D - GRAY METAL RISER - WELDED CONSTRUCTION	2 ea
STEP - SLIDE IN/OUT - ALUMINUM - 36"	1 ea
SWITCH - WALL - 12V - BLACK	1 ea