



110 East North Avenue, Carol Stream, IL 60188 Toll Free 800-832-5331 ph. (630) 580-5840 fx (630) 580-5843

## 2017 MTI 7.0' Wide MWT Series Trailer

Model	Description
MWT7X12SA	MWT 7 x 12 SA Torsion VIN: ...JM642349 Exterior Color: Pewter

### SELECTED OPTIONS

Option Code	Description	Unit of Measure	Quantity
2.11	Add 12 in height [7' Wide Units ]	LF	12
6.24	Additional Floor Crossmembers for 16" On Center	ea.	3
6.31.WALL	Additional Roof Bows & Wall Posts for 16" On Center	ea.	6
6.31.ROOF	Additional Roof Bows & Wall Posts for 16" On Center	ea.	3
7.31	5.2 mm White Walls In Place of 3/8" Plywood	ea.	
7.35	Insulation - Walls	sf.	232
7.05	Insulated Ceiling with White Vinyl Liner	ft.	14
7.20.Black	Black & White or Marble Roll Goods Over 1/4" Lauan	ft.	14
18.02	Electrical Package #2	ea.	1
	(3) Fluorescent Lights 4' or 8'		
	(2) 110-Volt Switches		
	(4) 110-Volt Interior Recepts		
	(1) 110-Volt GFI Exterior Recepts		
	50 Amp. Service with Life Line		
	Brace & Wire for Air Conditioner		
10.01	Solid Awning Doors - Up to 32 sq. ft.	ea.	2
	(2) 6' Wide x 4' Tall Flip Open Doors		
15.45	Screwless Sides - Under 24" Extra Ht.	ft.	14
8.21	Aluminum Countertops -- 12" Deep - Exterior	ft.	16
	(2) 8' Wide Countertops; Place (1) Under Each Awning Door		
8.22	Aluminum Countertops -- 12" Deep - Interior	ft.	12
	(2) 6' Wide Countertops; Place (1) Under Each Awning Door		
12.01	12 Volt Wall Switch	ea.	1
2.13	Upgrade to 1 in x 1.5 in Tube Walls	LF	12
2.14	18" 10 Bulb, LED Recessed Interior Light ILO Flourescent Light	ea	3
14.05	Flush RV Lock	ea.	1
11.01	Converter - 110-Volt to 12-Volt	ea.	1
12.22	LED 18", 10 Bulb, Recessed, Interior Dome Light	ea.	2
	This will give you 5 recessed LED Lights in total		
1.07	Radial Tires In Place of Bias-Ply Tires	Tire	2



# MIDDLEBURY TRAILERS

**MWT 5', 6'  
7' & 8.5'  
Wide  
Series**

Spring Axle  
Flat Top  
18" Wedge  
Cargo Trailer



*Total Body Length  
Does Not  
Include Wedge*

## STANDARD FEATURES & SPECIFICATIONS

### Hitch

2" Coupler - Single Axle Models

2,000 lb. Top Wind Jack w\Sand Pad  
Safety Chains

### Axle

#### 7' Wides

SA Models - 3,000 lb. Torsion Idler Axle  
SAE Models - 3,500 lb. Torsion Brake Axle  
TA2 Models - 3,500 lb. Torsion Brake Axles  
TA3 Models - 5,200 lb. Torsion Brake Axles

### Tires and Rims

ST205/75D15 Bias w\White Wheels on 3,000 lb. and  
3,500 lb. axles  
ST225/75R15 Radial w\White Wheels on 5,200 lb Axles

### Frame

24" On Center Roof and Walls  
24" On-Center Floor  
18" Wedge Nose  
Undercoated Frame

### Side Door - All Doors with NO Step

#### 5', 6', 7' Wides

36" Door w\Barlock on 7' Wide Models

### Rear Door

Width	Single Door	Double Door	Ramp Door
7'		X	*Light Duty

\* Light Duty Ramp Door has a 1,000 lb. capacity

### Interior

3/4" Engineered Wood Flooring  
3/8" Plywood Walls Trimmed Out with Lauan

### Interior Heights

### Exterior

Flow-Thru Sidewall Vents  
.030 Exterior Metal  
Inverted ATP Stoneguard  
Galvanized Steel Roof  
ATP Rear Corners and Header  
ATP Fenders  
1-1/2" Lower Trim  
3" Top Rail

### Electrical

(1) 12-Volt Dome Light  
4-Way Plug on Idler Axles

LED Strip Tail Light/Brake Lights, Surface Mounted  
LED Surface Mounted Clearance Lights



## MIDDLEBURY TRAILERS

### STANDARD DIMENSIONS CHART

Round Top Cargos	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	61"	73"	73"	73"	78"	78"
Overall Exterior Height	81"	93"	96"	96"	102"	102"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	54"	66"	66"	66"	72"	72"

RWT/MWT	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	66"	72"	73"	73"	78"	78"
Overall Exterior Height	84"	91"	92"	92"	100"	100"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	60"	66"	66"	66"	72"	72"

\* WB = Wheel Well Box

\*\* Single axle model heights shown. Tandem axle models are 1" taller in height.

\*\*\* Heights for 6" frames shown. 7x10TA2 and 7x12TA2 are 2" shorter in height.

While All dimensions are listed as accurately as possible, please note any critical dimensions when ordering.

#### Extra Height Specifications

When extra height is added to a unit, the rear door opening will be raised the same extra height unless otherwise specified.

Extra Charges apply for ramp doors that are over the standard height.

Walk-in door openings will also be raised with extra height unless otherwise specified.

Walk-in door openings will be raised to a maximum of 78" including any stepwell in the opening.