



ADVANTAGE TRAILERS AND HITCHES

110 E. North Ave.  
 Carol Stream, IL 60188  
 888-280-6695  
 www.advantagetrailer.com

**MODEL INFO**

**Configured Model #:** QSTAB7020+2-2S3.5K

Quest Aluminum Trailer

7'W x 20' + 2'L x 6.5'H, (2) 3500# Spring Axle(s)

**VIN:** ...JD211515

**Warranty:** 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

**COLOR:** BRONZE METALLIC (STANDARD)

**REAR COLOR:** DARK GRAY METALLIC (STANDARD)

**COLOR - CABINETS:** BRONZE METALLIC

**SPECIFICATIONS**

Part Name	Qty	UOM	Ref.
<b>BASE MODEL</b>			
QSTAB7020+0-2S3.5K	1	ea	OPT
<b>PACKAGES</b>			
PACKAGE - ELECTRICAL #2	1	ea	OPT
<b>FRAME</b>			
AXLE - 3500# - SPRING - EZ LUBE HUBS - ELECTRIC BRAKES	2	ea	STD
• GROUND CLEARANCE: STANDARD (APPROX. 14.25" - NO LOAD)			
AXLE SPACING - NO SPREAD	1	ea	STD
ALL TUBE CONSTRUCTION	22	ft	STD
COUPLER - A-FRAME - 2-5/16" - 10,000#	1	ea	STD
CROSS MEMBERS - FLOOR - 24" O/C	22	ft	STD
CROSS MEMBERS - ROOF - 16" O/C - 1" X 3"	22	ft	OPT
CROSS MEMBERS - WALL - CS - 16" O/C - 1" X 1.5"	22	ft	STD
CROSS MEMBERS - WALL - RS - 16" O/C - 1" X 1.5"	22	ft	STD
FLOOR DESIGN - FLAT	1	ea	STD
FRAME - 5"	22	ft	STD
FRAME - FULL PERIMETER - ALUMINUM	22	ft	STD
FRAME PROTECTION - SKID PLATES	1	pr	STD
FRAME PROTECTION - BOGEY WHEELS	1	pr	OPT
FRONT DESIGN - 2' WEDGE	1	ea	OPT
JACK - TONGUE - SIDE WIND - 2000#	1	ea	STD
JACK - STABILIZER - FOLD DOWN - 2000#	2	pr	OPT
• Location: FRONT & REAR			

TIRE/WHEEL - ST205/75R15/LRD - RADIAL ON GREY MOD	4 ea	STD
SPARE TIRE/WHEEL - ST205/75R15/LRD - RADIAL ON GREY MOD	1 ea	OPT
SPARE TIRE COMPARTMENT - IN FLOOR	1 ea	OPT
SPARE TIRE COMPARTMENT - IN FLOOR	1 ea	OPT
TONGUE - STANDARD	1 ea	STD
TRUCK PLUG - 7 WAY - BUMPER PULL	1 ea	STD
<b>EXTERIOR</b>		
EXTERIOR ALUMINUM - STANDARD COLOR	22 ft	STD
<ul style="list-style-type: none"> <li>COLOR: BRONZE METALLIC (STANDARD)</li> <li>COLOR REAR: DARK GRAY METALLIC (STANDARD)</li> </ul>		
EXTERIOR ALUMINUM - TWO-TONE W/4" POLISHED STAINLESS STEEL DIAGONAL	1 ea	OPT
EXTERIOR FASTENER - SCREWLESS	22 ft	STD
EXTERIOR ALUMINUM THICKNESS - .030	22 ft	STD
FENDERS - AL	2 ea	STD
GRAVEL GUARD - ATP - 24" - WITH J RAIL	1 ea	STD
ROOF - ONE PIECE - ALUMINUM	22 ft	STD
ROOF - WALK ON - PLYWOOD - 3/8"	22 ft	OPT
<ul style="list-style-type: none"> <li>175 LBF / LINEAR FT - NOT TO EXCEED 2000# FOR ENTIRE ROOF</li> </ul>		
TRIM - WEDGE NOSE - COLOR MATCHED	1 ea	STD
TRIM - HEADER - REAR - COLOR MATCHED	1 ea	STD
TRIM - VERTICALS - REAR - COLOR MATCHED	1 ea	STD
TRIM - RUB RAIL - UPPER - ALUMINUM - 3"	22 ft	STD
TRIM - RUB RAIL - LOWER - ALUMINUM - 3"	22 ft	STD
VENT - ROOF - MANUAL - 14"	1 ea	OPT
VENT COVER - ROOF - MAXXAIR	1 ea	OPT
VENT SYSTEM - TWO WAY - SALEM	1 pr	OPT
<b>DOORS</b>		
DOOR - REAR RAMP - STANDARD - 2000# RATED	1 ea	OPT
RAMP DOOR EXTERIOR - REAR - COLOR MATCHED	1 ea	OPT
RAMP DOOR FLOORING - REAR - ADVANTECH - 3/4"	1 ea	STD
DOOR HARDWARE - LATCH - BAR LOCK - ALUMINUM	1 pr	STD
HASP - STAINLESS STEEL - FOR CAM BARS/BAR LOCKS ON RAMP DOOR	1 pr	OPT
DOOR - ENTRANCE - 405 SERIES - 36" X 72" - FMVSS LOCK	1 ea	OPT
<ul style="list-style-type: none"> <li>RIGHT HINGE</li> </ul>		
GAS SHOCK ON ENTRANCE DOOR	1 ea	OPT
STEP - RV STYLE - SINGLE - 28"	1 ea	OPT
DOOR ACCESSORIES - ADD TINTED WINDOW TO ENTRANCE DOOR	1 ea	OPT
STAGE LEG FOR RAMP/STAGE - (STANDARD TRAILERS)	2 ea	OPT
<b>INTERIOR</b>		
INTERIOR HEIGHT - 6.5'	22 ft	OPT
CABINET - ALUMINUM - BUILDOUT FOR INTELI-POWER UNIT	1 ea	PKG
<ul style="list-style-type: none"> <li>USED FOR: 50 AMP INTELI-POWER BREAKER BOX</li> </ul>		
INTERIOR CEILING - SCREWLESS ALUMINUM	22 ft	OPT
<ul style="list-style-type: none"> <li>COVE COLOR: BRONZE METALLIC</li> <li>CEILING COLOR: BRONZE METALLIC (STANDARD)</li> <li>SPRING BOX COLOR: BRONZE METALLIC</li> </ul>		
INSULATION - CEILING - EPS - 1" - R-3	22 ft	OPT
INTERIOR WALLS - PLYWOOD - 3/8"	22 ft	STD
FLOORING - ADVANTECH - 3/4"	22 ft	STD

D-RINGS - 5000# - RECESSED	6 ea	OPT
E-TRACK - RECESSED - FLOOR	32 ft	OPT
<b>ELECTRICAL</b>		
BATTERY - 12V AGM (930 CA, 775 CCA)	1 ea	PKG
BREAKER BOX - 50 AMP - 120V ONLY - 60 AMP CONVERTER - 12V FUSE PANEL - INTELI-POWER UNIT	1 ea	PKG
SWITCH - POWER CUT-OFF - MANUAL - 12V	1 ea	PKG
POWER INLET - MOTORBASE - 50A - W/ SHORE CORD - 25'	1 ea	PKG
LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER	2 ea	STD
LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER	10 ea	OPT
LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER	6 ea	STD
LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER	10 ea	OPT
LIGHT - CLEARANCE - LED - 12V - RED - LOWER	2 ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - UPPER	5 ea	STD
LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED	1 pr	STD
LIGHT - BACK UP - SLIMLINE - LED - 12V	1 pr	OPT
LIGHT - ANGLED PORCH - LED - 12V	2 ea	OPT
SWITCH - WALL - 12V	2 ea	OPT
• USED FOR: LIGHT - ANGLED PORCH - LED - 12V		
LIGHT - ANGLED PORCH - LED - 12V	2 ea	OPT
SWITCH - WALL - 12V	1 ea	OPT
• USED FOR: LIGHT - ANGLED PORCH - LED - 12V		
RECEPT - INTERIOR - 120V - 15A	4 ea	PKG
• GFCI PROTECTED WHERE REQUIRED BY CODE		
RECEPT - EXTERIOR - 120V - 15A - GFI PROTECTED	2 ea	OPT
OUTLET - POWER OUTLET - 12V - INTERIOR	1 ea	OPT
• 15A CIRCUIT		
LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING	3 ea	PKG
SWITCH - WALL - 12V	1 ea	OPT
• USED FOR: LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING		
<b>ATC CUSTOM OPTIONS</b>		
AXLE SPACERS - 2" X 2" ALUMINUM TUBES - RAISES DECK HEIGHT 2"	1 ea	
DOOR - CONCESSION - 72" X 48" - STANDARD	1 ea	
• INCLUDES PROP RODS		
• INCLUDES (2) GAS SHOCKS		
• DOES NOT INCLUDE SERVING WINDOW		
FRAME OUT - IN SIDEWALL - 30"W X 20"H - FOR FUTURE DOOR	2 ea	
• DO NOT ROUTE		
• SIZE IS ROUGH OPENING		
LIGHT - ANGLED PORCH - LED - 12V	1 ea	
LIGHT - BACK UP - SLIMLINE - LED - 12V	1 pr	
SKYLIGHT - CEILING - 30" X 30"	2 ea	
• DOES NOT OPEN		
• OVERALL SKYLIGHT DIMENSION IS 33.625" X 33.625"		
• FRAME OUT FOR SKYLIGHT SHOULD BE 30.5" x 30.5"		
SWITCH - WALL - 12V	1 ea	
TRANSITION FLAP - ALUMINUM - SMOOTH - 16"L	1 ea	