



110 East North Avenue, Carol Stream, IL 60188 Toll Free 800-832-5331 ph. (630) 580-5840 fx (630) 580-5843

2018 MTI 8.5' Wide Round Top Cargo Trailer

Model	Description
8.5X16TA2	8.5 x 16 TA2 MTT (Torsion Axle)

Exterior Color: White

SELECTED OPTIONS			
Option Code	Description	Unit of Measure	Quantity
5.04	Pintle Eye Adjustable With 12" Extension & 3rd Member	ea.	1
2.13	Add 12 in height [8' and 8.5' Wide Units] Bring Interior Height to 7.5'	LF	16
12.22	LED 18", 10 Bulb, Recessed, Interior Dome Light Interior 18" LED Lights	ea.	2
7.32	3/4" Plywood In Place of 3/8"	ft.	16
6.10	Stabilizer Jacks (Medium Duty) 1000 lb. - Crank Down	pr.	1
5.07	7,000 lb. Tongue Jack	ea.	1

Selected Rear Door Double Cargo Doors



MIDDLEBURY TRAILERS

MTT Series

5', 6', & 7' Wides
Round Top
Cargo Trailer



MST Shown with Options:
Two-Tone Metal
Brite Aluminum Corners

STANDARD FEATURES & SPECIFICATIONS

Hitch

2-5/16" Coupler with Safety Chains - Tandem Axles
2,000 lb. Top Wind Jack w/Sand Pad

Axle

MTT = Torsion Axles

Brake Axles on SAE and Tandem Axle Models

Tires and Rims

"D" = Bias-Ply Tires, "R" = Radial Tires

MTT

3,000 lb. Axle	ST205/75R15	
3,500 lb. Axle	ST205/75D15	ST205/75R15
5,200 lb. Axle	ST225/75R15	

White Wheels Standard on MST and MTT Models

Frame

All Frames are Undercoated

	Floor	Walls	Roof
MTT 5', 6', & 7' Wides	24" o.c.	16" o.c.	24" o.c.
All 8.5' Wides	24" o.c.	16" o.c.	24" o.c.
All TA3 Axles	16" o.c.	16" o.c.	24" o.c.

Side Door

8.5' Wide, 12' to 16' -- 36" Camlock Door & No Step*

*MTT7x14TA2 & Bigger have built in steps on side door

MTT 8.5' Wides have built in step on side door

Rear Doors

Width	Single Door	Double Door	Ramp Door
5'	X	X	Light Duty
6'		X	Light Duty
7'		X	Light Duty
8.5'		X	

* Light Duty Ramp Door has a 1,000 lb. capacity

Interior

3/4" Engineered Wood Flooring

MTT - 3/8" Plywood Walls, Trimmed with Lauan

Interior Heights

8.5' Wides - 6' 6"

Exterior

.030 Exterior Metal
Fiberglass Cap
24" ATP Stoneguard
Galvanized Steel Roof
Aluminum Fenders
MTT - Brite Front Corners
3" Lower Trim

Electrical

Breakaway Box, Battery, & Switch On Electric Brake Axles
(2) 12-Volt Dome Lights With Switch
7-Way Plug on Electric Brake Axles
4-Way Plug on Idler Axles
LED Strip Tail Light/Brake Lights, Surface Mounted
LED Surface Mounted Clearance Lights



MIDDLEBURY TRAILERS

STANDARD DIMENSIONS CHART

Round Top Cargos	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	61"	73"	73"	73"	78"	78"
Overall Exterior Height	81"	93"	96"	96"	102"	102"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	54"	66"	66"	66"	72"	72"

RWT/MWT	No WB*		wWB*		8 Wides	8.5 Wides
	5 Wides	6 Wides**	7 Wides***	7 Wides***		
Interior Height	66"	72"	73"	73"	78"	78"
Overall Exterior Height	84"	91"	92"	92"	100"	100"
Exterior - Widest Point	80"	92"	102"	90"	102"	102"
Inside Wall-to-Wall Width	57"	69"	81"	81"	93"	97"
Rear Door Opening Width	51"	63"	75"	75"	87"	91"
Rear Door Opening Height	60"	66"	66"	66"	72"	72"

* WB = Wheel Well Box

** Single axle model heights shown. Tandem axle models are 1" taller in height.

*** Heights for 6" frames shown. 7x10TA2 and 7x12TA2 are 2" shorter in height.

While All dimensions are listed as accurately as possible, please note any critical dimensions when ordering.

Extra Height Specifications

When extra height is added to a unit, the rear door opening will be raised the same extra height unless otherwise specified.

Extra Charges apply for ramp doors that are over the standard height.

Walk-in door openings will also be raised with extra height unless otherwise specified.

Walk-in door openings will be raised to a maximum of 78" including any stepwell in the opening.