



ADVANTAGE TRAILERS & HITCHES

110 E. North Ave.
 Carol Stream, IL 60188
 888-280-6695
 www.advantagetrailer.com

MODEL INFO

Configured Model #: QSTAG8547+0-3T7.0K

Quest Aluminum Trailer

8.5'W x 47'L x 8.5'H, (3) 7000# Torsion Axle(s)

Warranty: 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

COLOR: POLAR WHITE

COLOR REAR: NONE

COLOR - CABINETS: VICTORY RED

SPECIFICATIONS

Part Name	Qty	UOM	Ref.
BASE MODEL			
QSTAG8548+0-3T7.0K	1	ea	OPT
• Modification: DELETE 1' OF LENGTH			
FRAME			
AXLE - 7000# - TORSION - EZ LUBE HUBS - ELECTRIC BRAKES	3	ea	OPT
• GROUND CLEARANCE: RAISE APPROX. 1" FROM STANDARD			
AXLE SPACING - SPREAD AXLE	1	ea	STD
ALL TUBE CONSTRUCTION	47	ft	STD
HITCH - FIFTH WHEEL - 29,000#	1	ea	OPT
CROSS MEMBERS - FLOOR - 16" O/C	47	ft	STD
CROSS MEMBERS - ROOF - 16" O/C - 1" X 3"	47	ft	STD
CROSS MEMBERS - WALL - CS - 16" O/C - 1" X 1.5"	47	ft	STD
CROSS MEMBERS - WALL - RS - 16" O/C - 1" X 1.5"	47	ft	STD
FLOOR DESIGN - FLAT	1	ea	STD
FRAME - 8"	47	ft	STD
FRAME - FULL PERIMETER - ALUMINUM	47	ft	STD
FRAME PROTECTION - SKID PLATES	1	pr	STD
FRAME PROTECTION - BOGEY WHEELS	1	pr	OPT
FRONT DESIGN - FLAT	1	ea	STD
TANK - FUEL - DIESEL - 24 GALLON - TOP FILL - IN FRAME	1	ea	OPT
JACK - GOOSENECK - MANUAL - TWO SPEED	1	pr	OPT

FLOORING - TPO - BLACK COIN	47 ft	OPT
LP DETECTOR	1 ea	OPT
WHEEL BOX - SMOOTH AL	2 ea	STD
ELECTRICAL		
BATTERY - 12V AGM (930 CA, 775 CCA)	2 ea	OPT
SWITCH - POWER CUT-OFF - MANUAL - 12V	1 ea	OPT
LIGHT - CLEARANCE - LED - 12V - AMBER - LOWER	8 ea	STD
LIGHT - CLEARANCE - LED - 12V - AMBER - UPPER	11 ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - LOWER	2 ea	STD
LIGHT - CLEARANCE - LED - 12V - RED - UPPER	7 ea	STD
LIGHT - TAILLIGHT - SLIMLINE - LED - 12V - RED	1 pr	STD
RECEPT - INTERIOR - 120V - 15A <ul style="list-style-type: none"> GFCI PROTECTED WHERE REQUIRED BY CODE RECEPT COLOR: BLACK 	16 ea	OPT
RECEPT - INTERIOR - 120V - 15A - FOUR PLEX - SURFACE MOUNT <ul style="list-style-type: none"> GFCI PROTECTED WHERE REQUIRED BY CODE RECEPT COLOR: BLACK 	1 ea	OPT
RECEPT - EXTERIOR - 120V - 15A - GFI PROTECTED	2 ea	OPT
LIGHT - DOME - LED - 12V - NON RECESSED	2 ea	OPT
SWITCH - WALL - 12V <ul style="list-style-type: none"> USED FOR: LIGHT - DOME - LED - 12V - NON RECESSED SWITCH COLOR: BLACK 	1 ea	OPT
LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING	7 ea	OPT
SWITCH - WALL - 12V <ul style="list-style-type: none"> USED FOR: LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING SWITCH COLOR: BLACK 	1 ea	OPT
SWITCH - RELAY - 12V - 30A <ul style="list-style-type: none"> SWITCH COLOR: BLACK (2) RELAY SWITCHES REQUIRED WHEN OPTIONING MORE THAN (6) - 18" LED LIGHTS 	2 ea	OPT
LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING	3 ea	OPT
SWITCH - WALL - 12V <ul style="list-style-type: none"> USED FOR: LIGHT - RECTANGULAR - LED - 18" - 12V - RECESSED - W/ TRIM RING SWITCH COLOR: BLACK 	1 ea	OPT
WIRING - STUB WIRE - 12V - TEW 14/2	14 ea	OPT
WIRING - STUB WIRE - 120V <ul style="list-style-type: none"> 15A 	2 ea	OPT
FUEL GAUGE	1 ea	OPT
GENERATOR COMPARTMENT - INSULATED - IN BUNK AREA <ul style="list-style-type: none"> GEN DOOR NOT INCLUDED INCLUDES GALVANIZED LINER COLOR: VICTORY RED 	1 ea	OPT
ELECTRONICS		
STEREO - AM/FM/CD/MP3 <ul style="list-style-type: none"> ANTENNA AND SIRIUS UNIVERSAL TUNER INCLUDED SIRIUS READY AND I-POD READY 12V BATTERY NOT INCLUDED BLUETOOTH READY 	1 ea	OPT
SPEAKER - CEILING - RECESSED	2 ea	OPT
SPEAKER - EXTERIOR	1 pr	OPT
PLUMBING & LP		
LP TANKS - (2) - 100# - W/ HEAVY DUTY TRAY AND MOUNTING BRACKETS	1 ea	OPT
SINK - SINGLE BOWL - STAINLESS STEEL - 15" X 15" X 5.5" - W/ FAUCET	1 ea	OPT

PLUMBING - FRESH WATER SPIGOT	1 ea	OPT
HEATER - WATER - DSI LP/ELECTRIC - 6 GALLON	1 ea	OPT
WATER - CITY AND GRAVITY FILL	1 ea	OPT
WATER PUMP - 3.0 GPM - 12V - W/ WINTERIZING TAP • SWITCH COLOR: BLACK	1 ea	OPT
TANK - WATER - FRESH - 100 GALLON • TANK SIZE MAY VARY BASED ON LOCATION OF TANKS	1 ea	OPT
MONITOR PANEL - 3 TANK, BATTERY, WATER PUMP SWITCH - BLACK	1 ea	OPT
HEATING & AIR CONDITIONING		
A/C PREP - BRACE & WIRE	1 ea	OPT
A/C - 15,000 BTU - LOW PROFILE - 10.5" - WHITE	2 ea	OPT
THERMOSTAT - A/C - MOUNTED TO WALL - BLACK	1 ea	OPT
DEALER CUSTOM OPTIONS		
CARGO NET INSTALLED ABOVE SHELVS CARGO NET -SQUARE OPENINGS - ADJUSTABLE CAMLOCKS & SNAP HOOKS - PER SQ FT Standard features: (4) TIE DOWN RINGS MINIMUM (4) SQUARE FEET FINAL NETTING SIZE TO BE DETERMINED BY ENGINEERING	1 ea	
CAULK ALL EDGES ON COUNTERS AND CORNERS ALONG WITH AROUND EQUIPMENT AND HOOD AREA MOST STATES REQUIRE TO HAVE EDGES CAULKED.	1 ea	
INSTALL CUSTOMER SUPPLIED DOMETIC CUP HOLDERS IN PRE CUT HOLE AREA MOUNT AND WIRE EACH COOLER CUP IN A TOTAL OF 14 SPOTS,	14 ea	
INSTALL CUSTOMER SUPPLIED SINK PACKAGE INSTALL AND PLUMB 3 BAY AND HAND SINK,	1 ea	
INSTALL STEAM WELL PORTABLE/MOVABLE APPLICATION PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	1 ea	
INSTALL T-23 IN TASTING AREA INSTALL THE T-23 IN TASTING AREA PORTABLE/MOVABLE APPLICATION INSTALL	1 ea	
INSTALL T72 FRIDGE IN UNIT AND BUILD CUSTOM MOUNTING GEAR FOR THE WHEEL WELL SECTION. PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS. WILL NEED TO STILL REMOVE REAR LEGS FOR INSTALL OVER WHEEL WELL BUT CAN BE INSTALLED WHEN UNITS NEEDS TO BE MOVED.	1 ea	
INSTALL TPP-60 PIZZA PREP TABLE PORTABLE/MOVABLE APPLICATION OF INSTALL PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	1 ea	
INSTALL TWT-72 WORKTOP FRIDGE SYSTEM PORTABLE/MOVABLE APPLICATION OF INSTALL PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	1 ea	
INSTALL WALL MOUNTED CHEESEMELTER PORTABLE/MOVABLE APPLICATION OF INSTALL INCLUDES AIR LINE TRACK ON WALLS IN ORDER TO STRAP DOWN IN MULTIPLE LOCATIONS	1 ea	
MOUNT COUNTER TOP GRIDDLE TO SS COUNTER TOP PORTABLE/MOVABLE APPLICATION OF INSTALL PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	1 ea	

MOUNT SPLIT POT FRYER NEXT TO OVEN/BURNER	1 ea
PORTABLE/MOVABLE APPLICATION OF INSTALL	
PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	
OLD HICKORY N/7GP CUSTOM INSTALL	1 ea
PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	
CUSTOM BRACKETS MAY NEED TO BE MADE IN ORDER TO KEEP IN PLACE,	
STAINLESS STEEL GAP COVER FROM WALL TO COOKING EQUIPMENT	1 ea
STAINLESS LIP BENT AND INSTALLED FROM COOKING EQUIPMENT TO WALL TO COVER GAP.	
STRAP DOWN SHEET PAN RACK	1 ea
UNPACKAGE AND CUSTOM INSTALL 6 BURNER/OVEN UNIT	1 ea
PORTABLE/MOVABLE APPLICATION OF INSTALL	
PORTABLE/MOVABLE APPLICATION STRAP DOWN TO AIRLINE TRACKS ON WALLS UPPER AND LOWER AREAS.	

ATC CUSTOM OPTIONS

AIRLINE TRACK - SURFACE MOUNT - WALL	108 ft
BREAKER BOX - 100 AMP - 50 AMP SERVICE - CONCESSION	2 ea
<ul style="list-style-type: none"> • EXTERIOR POWER INLET (MOTORBASE) • 50 AMP 25' SHORE CORD • 50 AMP MAIN BREAKER • 12 SPACE, 24 CIRCUIT PANEL - 120/240V SINGLE PHASE • ALL GFI PROTECTED CIRCUITS EXCEPT FOR SOME DEDICATED APPLIANCES 	
CABINET - ALUMINUM - LOWER - ALUMINUM COUNTERTOP - 28"W X 34"H X 24"D	1 ea
<ul style="list-style-type: none"> • CABINET COLOR: VICTORY RED 	
CONVERTER - 100 AMP - WITH BATTERY CHARGER - INCLUDES DEDICATED 20 AMP OUTLET	1 ea
COUNTERTOP - ALUMINUM - FIXED - 134"W - 24"D	2 ea
COUNTERTOP - ALUMINUM - FIXED - 48"W X 24"D	1 ea
DEADBOLT LOCK - BLACK - ADD TO ENTRANCE DOOR	1 ea
DOOR - ACCESS - 405 SERIES - 12" X 12" - WITH INTEGRATED 2"X2" BRISTLED ACCESS HOLE	1 ea
DOOR - ACCESS - 405 SERIES - 36" X 24" - TOP HINGE - IN RISER	1 ea
DOOR - CONCESSION - 130"W X 50.375"H - STANDARD	1 ea
<ul style="list-style-type: none"> • GAS SHOCKS AND PROP RODS INCLUDED • DOES NOT INCLUDE SERVING WINDOW 	
DOOR - CONCESSION - 405 SERIES - 144"W X 50.375"H - STANDARD	1 ea
<ul style="list-style-type: none"> • GAS SHOCKS AND PROP RODS INCLUDED • DOES NOT INCLUDE SERVING WINDOW • HEAVY DUTY REINFORCED LAMINATED PANEL DESIGN 	
DOOR - CONCESSION - 72" X 36" - W/ SERVING WINDOW - VERTICAL/SOLID/VERTICAL	1 ea
<ul style="list-style-type: none"> • SERVING WINDOW WILL BE VERTICAL SLIDER/SOLID PANEL/VERTICAL SLIDER • INCLUDES CLEAR TEMPERED GLASS • INCLUDES SELF STORING SCREENS • INCLUDES 8" FLIP OUT STAINLESS STEEL SERVING SHELF 	
DOOR - CONCESSION - 94"W X 50.375"H - STANDARD	1 ea
<ul style="list-style-type: none"> • GAS SHOCKS AND PROP RODS INCLUDED • DOES NOT INCLUDE SERVING WINDOW 	
DOOR - ENTRANCE - 405 SERIES - 48" X 81" - LEFT HINGE - FLUSH LOCK	1 ea
DOOR LATCH - BAR LOCK - OFFSET - ALUMINUM - FOR ENTRANCE DOOR	1 ea
DRILLED HOLE - ALUMINUM COUNTERTOP - 4"	14 ea
FLOOR DRAIN - PVC - 6"X 6"X 2" - WITH TRAP	1 ea
HOODS - COMMERCIAL - (1)-100"W WITH EXHAUST FAN & (1)-56"W WITH EXHAUST FAN - W/ EXHAUST - 3.0 GALLON FIRE SUPPRESSION	1 ea
<ul style="list-style-type: none"> • REQUIRES APPLIANCES AND LAYOUT FOR HOOD SIZING TO CODE • FIRE SUPPRESSION SYSTEM - ANSUL BOX 16.5"W X 23.5"H X 7.5"D 	

<ul style="list-style-type: none"> • RIGHT QUARTER PANEL AND LEFT QUARTER PANEL • HOOD ELECTRICAL CONTROL BOX 14"W X 18"L X 6"D • FIRE SUPPRESSION SYSTEM - MAIN GAS LINE SHUTOFF • FIRE SUPPRESSION SYSTEM - MANUAL PULL AT ENTRANCE DOOR • INCLUDES (1) 15A 120V CIRCUITS TO POWER ELECTRICAL CONTROL BOX • INCLUDES (1) 15A 240V CIRCUITS TO ELECTRICAL CONTROL BOX FOR EXHAUST FAN #1 - 14/3 • INCLUDES (2) 15A 120V RECEPES BEHIND ROTISSERIE TO SHUNT TRIP BREAKER BOX NEXT TO HOOD CONTROL PANEL • INCLUDES (1) 15A 120V CIRCUITS TO ELECTRICAL CONTROL BOX FOR (5) LIGHTS ON HOODS 1&2 - 14/2 • INCLUDES (1) 15A 120V CIRCUITS TO ELECTRICAL CONTROL BOX FOR EXHAUST FAN #2 - 14/2 • 1660 CFM 3/4 HP VARIABLE SPEED EXHAUST FAN, 208V 5.2 AMPS • 1064 CFM 1/2 HP VARIABLE SPEED EXHAUST FAN, 115V 5.6 AMPS • FIRE SUPPRESSION SYSTEM - NO ELECTRIC POWER REQUIRED • HOOD TEMP SENSOR TO HOOD ELECTRICAL CONTROL BOX • ROOM TEMP SENSOR TO HOOD ELECTRICAL CONTROL BOX • FIRE SUPPRESSION SYSTEM - SENSOR WIRES TO CONTROL BOX THROUGH CONDUIT • INCLUDES PARTITION WALL TO MOUNT ELECTRICAL AND SUPPRESSION EQUIPMENT 	
INSTALL - CUSTOMER SUPPLIED - LOREX 4K SECURITY CAMERA SYSTEM - (6) EXTERIOR - (3) INTERIOR	1 ea
<ul style="list-style-type: none"> • ANY CUSTOMER SUPPLIED PARTS ARRIVING WITHOUT A P.O. REFERENCE MAY BE REJECTED BY ATC • CUSTOMER SUPPLIED PARTS REQUIRES A PURCHASE ORDER FROM ATC • CUSTOMER SUPPLIED PARTS REQUIRES TRACKING NUMBER(S) OF SHIPMENT • MUST PROVIDE REFERENCE DOCUMENTS OF CUSTOMER SUPPLIED PARTS • PROJECT WILL BE SCHEDULED AFTER ARRIVAL OF ALL CUSTOMER SUPPLIED PARTS • INCLUDES CAT5E CABLE FROM CAMERAS TO LOREX HARD DRIVE LOCATION 	
INTERIOR WALL - STAINLESS STEEL - PREMIUM QUILTED	91 sq
LP GAS LINE STUB PACKAGE - 3/4" BLACK PIPE - (7) TEE FITTINGS W/CAP - REGULATOR NOT INCLUDED	1 ea
PARTITION WALL - WELDED CONSTRUCTION - W/ 28" POCKET DOOR WITH WINDOW	1 ea
<ul style="list-style-type: none"> • INCLUDES 18"x 24" VERTICAL SLIDER WINDOW 	
PARTITION WALL COVERING - SCREWLESS ALUMINUM - OVER PLYWOOD - 3/8"	2 ea
PLATFORM - TUBE FRAMED - 27"W X 12"H X 31"D	1 ea
<ul style="list-style-type: none"> • COLOR MATCHED TO WALL COVERING • 1/8" ALUMINUM TOP 	
PLATFORM - TUBE FRAMED - 78"W X 12"H X 31"D	1 ea
<ul style="list-style-type: none"> • COLOR MATCHED TO WALL COVERING • 1/8" ALUMINUM TOP 	
PLUMBING - FRESH WATER LINE W/ SHUTOFF VALVE	4 ea
SHELF - ALUMINUM - FIXED - 16"W X 18"D	1 ea
SHELF - ALUMINUM - FIXED - 24"W X 18"D	1 ea
SHELF - ALUMINUM - FIXED - 252"W X 18"D	1 ea
SHELF - ALUMINUM - FIXED - 54"W X 18"D	1 ea
TANK - WATER - GREY - 60 GALLON	3 ea
<ul style="list-style-type: none"> • REQUIRES 8" FRAME • INCLUDES (2) 1.5" GROMMETS & (2) 1.5" COUPLERS - DEALER WILL INSTALL 	
TRANSFER SWITCH - AUTO - 50A - FOR FUTURE GENERATOR	2 ea