

Advantage Trailers**Phone:** 630-580-5840**Fax:** 630-580-5843

110 E North Ave

Carol Stream, IL, 60188

jim@advantagetrailer.comwww.advantagetrailer.com**Trailer Type:** 2012 Motiv RSX Car Hauler**Color:** Black**Cabinet Color:** BLACK**Axles:** (2) 5200# Torsion Axles**Model #:** MOTRSX8524TA3**Width:** 8.5 ft**Length:** 24 ft**Height:** 7.5 ft**Standard Features:****FRAME**

FULLY UNDERCOATED PERIMETER FRAME

ALL-TUBE WALLS AND CEILING

TORSION AXLES

EZ LUBE HUBS

ELECTRIC BRAKES - ALL AXLES

GEL CELL BATTERY BREAKAWAY KIT

2-5/16" COUPLER

SAFETY CHAINS & HOOKS

5000# BLACK PAINTED MANUAL JACK

16" O/C FLOOR CROSSMEMBERS

16" O/C ROOF CROSSMEMBERS - 1"x 1.5"

48" BEAVERTAIL

16" O/C WALL SUPPORTS

SMOOTH ALUMINUM WHEELBOXES

FLAT FRONT DESIGN

INTERIOR

ADVANTECH SUB FLOOR

FLOOR COVER IS OPTIONAL

ADVANTECH RAMP

ADVANTECH TRANSITION FLAP

WHITE VINYL WALLS

WHITE VINYL CEILING

(4) 5000# D-RINGS

WIRE GROMMETS

(1) ROOF VENT

(2) DOME LIGHTS WITH (1) WALL SWITCH

EXTERIOR

3" UPPER RUB RAIL TRIM

3" LOWER RUB RAIL TRIM

.030 ALUMINUM

RIVETS ON SEAMS

POLISHED FRONT VERTICALS

ONE-PIECE ALUMINUM ROOF

GRAY MOD WHEELS W/ CHROME CAP

36" SIDE DOOR - 405 SERIES

STANDARD FLUSH LOCK

REAR RAMP DOOR

STANDARD HINGE W/ ZERKS

ALUMINUM BAR LOCKS

STAINLESS STEEL HASPS

7-WAY PLUG

24" HIGH ATP STONEGUARD

L.E.D. CLEARANCE LIGHTS

ST225/75R15LRD RADIAL TIRES

(2) SETS OF L.E.D. BRAKE LIGHTS

Selected Options:

1 DELETE REAR DOOR MAKE SOILD WALL

0.00

Pending manufacturer approval

Approval #:

1 PARTITION WALL WITH 28" DOOR - WELDED
STEEL

THIS WILL MAKE THE BASE FOR THE TOILT
AND SINK AREA

Approval #:

Includes 405-Series Door with Flushlock

24 ft 12" ADDITIONAL HEIGHT / FT

Approval #:

*** REAR DOOR OPENING DOES NOT EXCEED
7' HEIGHT UNLESS OPTIONED SEPARATELY ***

*** ENTRANCE DOOR WILL NOT EXCEED 78"

1 ATP TONGUE COVER

Approval #:

1 120V PACKAGE #2

Approval #:

50 AMP BREAKER BOX

EXTERIOR POWER INLET (MOTORBASE) WITH
25' SHORE CORD

(4) INTERIOR RECEPETS

(4) 48" FLUORESCENT LIGHTS WITH WALL
SWITCH - RECESSED IF POSSIBLE

(2) RECESSED 500 WATT QUARTZ HALOGEN
LIGHTS WITH WALL SWITCH

FRAME & WIRE FOR A/C

4 INTERIOR 15 AMP RECEPT - 120V

Approval #:

GFCI PROTECTED WHERE REQUIRED BY CODE

1 WALL SWITCH - 120V

Approval #:

1 220V WIRING WITH ONE RECEPT

Approval #:

SPECIFY RECEPT TYPE

*** Customer Must Provide NEMA # ***

1 10.0 KW ONAN GENERATOR PKG. - QUIET
DIESEL (120V/240V)

FUEL COMPARTMENT

12 GAL ABOVE FRAME FUEL TANK

INCLUDES AUXILIARY ELECTRIC FUEL PUMP

20" x 36" 405 SERIES LOCKING FUEL DOOR

GENERATOR WIRING & PREP

REMOTE START

INSULATED GENERATOR COMPARTMENT

WITH GALVANIZED LINER

48" x 36" 405 SERIES VENTED TOP HINGED GEN
DOOR

50 AMP AUTO TRANSFER SWITCH

12V BATTERY & VENTED BOX, WIRED

1 UPGRADE FROM 12-GALLON FUEL TANK TO

24-GALLON IN-FRAME FUEL TANK

INCLUDES AUXILIARY FUEL PUMP

LOCKABLE CAST FUEL DOOR

FUEL GAUGE

24 ft UPGRADE WALLS & CEILINGS FROM
WHITE VINYL TO SCREWLESS ALUMINUM / FT

Approval #:

24 BLACK MARBLE VINYL FLOOR / FT

Approval #:

*** DOES NOT INCLUDE RAMP ***

2 ft LOWER ALUMINUM CABINET / FT
THIS WILL BE FOR HAND SINK IN BATHROOM
Approval #:
40"H x 24"D
2'8" UPPER ALUMINUM CABINET
INSTALL ON DRIVER SIDE OF TRAILER ABOVE
SINK AND FREEZER
Approval #:
16" H x 14" D
12 ft FIXED ALUMINUM SHELF 10" DEEP / FT
INSTALL ON INSIDE OF TRAILER BY THE
CONCESSION WINDOWS
Approval #:
3 ft STAINLESS STEEL COUNTERTOP 24" DEEP /
FT (LOWER CABINET NOT INCLUDED)
This Will be for the griddle
Approval #:
4 ft ALUMINUM BENCH SEAT WITH STORAGE -
WHITE / FT
THIS WILL BE INSTALLED FOR SEATING IN
TRAILER
Approval #:
2" Black Vented Back Cushions
4" Black Vented Bench Cushions
18"H x 18"D Storage
1 3-BAY SINK, HAND SINK, & BASE CABINET
PACKAGE (INCLUDES TANKS, HEATERS, ETC)
Approval #:
36" x 18" x 10" 3-BAY DROP-IN STAINLESS STEEL
SINK
17" x 15" WALL-MOUNT SINGLE-BASIN
STAINLESS STEEL SINK
WALL-MOUNT STAINLESS STEEL PAPER
TOWEL DISPENSER
WALL-MOUNT STAINLESS STEEL SOAP
DISPENSER
8' BASE CABINET WITH STAINLESS STEEL
COUNTERTOP
FRESH WATER HOLDING TANK - APPROX 40-
GALLON
GRAY WATER HOLDING TANK - APPROX 78-
GALLON
6-GALLON ELECTRIC WATER HEATER (120V)
3.3GPM WATER PUMP (120V)
CITY WATER HOOK-UP
2-TANK MONITOR PANEL
1 ADD SINGLE BOWL SS SINK AND FAUCET TO
COUNTERTOP
INSTALL IN BATHROOM
Approval #:
SINK DIMENSIONS: 15" x 15" x 5.5"
1 RV STYLE TOILET
INSTALL IN PARTITION WALL ROOM
Approval #:
*** TANKS NOT INCLUDED ***
1 (2) 100# LP TANKS WITH ALUMINUM
BRACKET - VERTICAL
Approval #:
2 48" FLUORESCENT LIGHT - WATERPROOF,
EXTERIOR
INSTALL ONE LIGHT ON EACH CONCESSION
WINDOW
Approval #:
1 7.2 Cu.Ft White Commercial Chest Freezer NSF
CF07 Installed And Mounted

Approval #: act665

This chest freezer has the following dimensions:

External Dimensions: 35" W x 36.9" H x 21.75"D

Internal Dimensions: 29.75" W x 29.1" H x 16.5" D

Capacity: 7.2 cubic feet

Features include:

White, poly-coated steel interior is bright, durable and easy to clean

One epoxy-coated wire basket comes with all models

Efficient, warm-wall condenser keeps the cabinet exterior dry without using electric heaters

Environmentally friendly 134A refrigerant

Convenient temperature control, 7 setting adjustments

White, textured steel instead of stainless, costs and fingerprints

Four, easy to install, heavy duty casters standard with all models

Heavy-duty pop-out key lock standard for safety and security. Key automatically ejects to prevent being left in the lock

Tested and certified to ANSI/NSF standard 7 for pre-packaged foods-even ice cream- since these freezers will deliver temperatures down to -18F. Freezers come with NSF certified thermometer

Approval #: act665

1 24" x 36" S/s Work Top Table w/Undershelf Installed and mounted to trailer

Approval #: ACT119

Approval #: ACT119

1 6.5 CuFt Stainless Sandwich Salad Prep Cooler 28" WIDE

Approval #: ACT1394

Stainless steel patented foam insulated cover keeps pans colder to lock in freshness - minimizes condensation

Extra wide 11 3/4" full length removable cutting board.

Versatile, sanitary, high density polyethylene provides tough surface

Large comfortable working area

Work surface 36" high

5" Castors standard (legs available)

All stainless steel front, top and sides

Front breathing

Doors swing within cabinet dimensions

Recessed handles

Aluminum finished back

Interior - attractive, NSF approved, white vinyl coated aluminum, coved corners and stainless steel floor

Removable back hood and lid

Holds 33 degree F product temperature in pans

Adjustable vinyl coated wire shelves

Available with optional 19" cutting board, crumb catcher or overshelf

Standard (1/6 size) 4" deep clear polycarbonate insert pans included (positioned in the top). Also accommodates six and eight inch deep pans

Foamed-in-place polyurethane high density cell insulation

Approval #: ACT1394

1 40lb LP Gas Restaurant Deep Fryer w/ Two Fry

Baskets F3-P Installed

Approval #: ACT699

F-3 is a three tube, 40lb capacity freestanding gas fryer.

The fry tank is all stainless and includes 3 heat tubes with a high heat baffle system, cool zone and 1-1/4 full port

ball type drain valve. The front and door is all stainless steel. The door includes a fully integrated door liner. A millivolt thermostat allows temperature range from 200 to 400F. Hi Limit control shuts fryer down if shortening exceeds maximum temperature.

Approval #: ACT699

1 24in Commercial Gas Restaurant Range 4 Burners & Oven IR-4 Installed and Mounted

Approval #: ACT1327

Quad Burner Options

28,000 BTU lift-off burner heads

Anti-clogging pilot shield is designed into the top grate

Chef's Depth (26"D) oven accommodates 18" x 26" sheet pans front-to-back

"U"- shaped burner and unique burner baffle

Stainless steel front, ledge, sides, back guard and shelf

12" x 12" heavy-duty cast iron top grates remove easily and safely

Top grate design allows pots to slide easily from section to section

5" wide stainless steel landing ledge provides a functional working area

20" wide oven is porcelainized on five contact surfaces for easy cleaning

Oven door is removable for easy access, no tools are required

One-year parts and labor warranty

AGA and CGA design certified, NSF and CE listed

Approval #: ACT1327

1 24" Counter Top Radiant Gas Commercial Broiler/Grill

60,000 btu TARB-24 Installed

Approval #: ACT903

16 gauge stainless steel front plate and wrap around stainless steel finish except back panel

Heavy duty cast-iron radiant cover provides food taste better than any other material

Heavy duty angles radiant is removable for easy cleaning

Fewer screws exposed to surface allow easier cleaning

Fully welded heat box & radiant bracket

All radiant covers sit on welded bracket, not screwed

Reversible cast-iron 3 bar top grates with grease runner standard

Stainless steel straight burners

Removable full width grease pan

Stainless steel pilots for instant ignition

Bull-nose stainless steel front extension provides additional safety to employees from burns

Coated inside & outside gas manifold prevent rust and ensure longer life of unit

Ergonomically designed heat resistant On-Off knob is made from PPS (Poly Phenylene Sulfide) to provide a cooler, longer life with beautiful chrome finish

2" stainless steel extension legs included

Approval #: ACT903

1 Commercial 24" x 30" Stainless Kitchen Equipment
Stand VETS-2430 For install of DOUGH X PRESS
Approval #: ACT179

Approval #: ACT179

1 8ft Restaurant Hood System w/ Make-Up Air &
Exhaust Fans 8FT HOOD PACKAGE WITH FIRE
SUPPRESSION INSTALLED

Approval #: ACT6001

Your 8ft Restaurant Hood System Package includes:

Restaurant Grease Hood 96" W x 48" D x 24" H at the
back, all stainless steel construction

Make-Up Air Fan 2220 CFM 1/3 HP

Flat Roof Mounting Curb for make-up air fan

Exhaust Fan 3/4 HP 3175 CFM

Flat Roof Mounting Curb for exhaust fan

Grease Cup

Aluminum Filter

Approval #: ACT6001

1 RUN LP LINES AND INSTALL ON ALL
EQUIPMENT

Pending manufacturer approval

Approval #:

2 ft EXTERIOR 12" DEEP STAINLESS STEEL
FOLD-UP COUNTERTOP (PER FT)
FOR INSTALL OF MICROWAVE

Approval #:

32 sq ft STAINLESS STEEL WALL (PER SQ FT)
INSTALL BEHIND ALL COOKING EQUIPMENT
UNDER THE HOOD AREA

Approval #:

1 MICROWAVE

Pending manufacturer approval

Approval #:

1 16.7 cu. ft. Freezerless Refrigerator (6072)

Pending manufacturer approval

Approval #:

1 DoughXpress TXM-15 - Manual Tortilla Pizza Dough
Press

Pending manufacturer approval

Approval #:

1 CUSTOM 60 GALLON IN FRAME WASTE WATER
TANK

Pending manufacturer approval

1 (2) 6' X 3' CONCESSION DOOR WITH SERVING
WINDOWS

Pending manufacturer approval

INCLUDES CLEAR TEMPERED GLASS

INCLUDES SELF STORING SCREENS

SERVING WINDOW WILL BE VERTICAL

SLIDER/SOILD PANEL/VERTICAL SLIDER