

Trailer Type: 2013 Steel RSX Gooseneck Car Hauler

Color: Polar White

Cabinet Color: Polar White

Axles: (2) 6000# Torsion Axles

Width: 8.5 ft

Length: 38 ft

Height: 8.5 ft

Model #: MOTGRSX8538TA4

Standard Features:

FRAME

- FULLY UNDERCOATED PERIMETER FRAME
- ALL-TUBE WALLS AND CEILING
- TORSION AXLES WITH EZ LUBE HUBS
- SPREAD AXLE DESIGN WITH FENDERETTES
- ELECTRIC BRAKES - ALL AXLES
- GEL CELL BATTERY BREAKAWAY KIT
- 2-5/16" ADJUSTABLE COUPLER
- SAFETY CHAINS & HOOKS
- SINGLE SPEED MANUAL JACK
- 16" O/C FLOOR CROSSMEMBERS
- 16" O/C ROOF CROSSMEMBERS - 1"x 1.5"
- 16" O/C WALL SUPPORTS
- 48" BEAVERTAIL
- SMOOTH ALUM. RADIUS WHEEL BOXES
- FLAT FRONT DESIGN

INTERIOR

- ADVANTECH SUB FLOOR
- FLOOR COVER IS OPTIONAL
- ADVANTECH RAMP
- ADVANTECH TRANSITION FLAP
- WHITE VINYL WALLS
- WHITE VINYL CEILING
- (4) 5000# D-RINGS
- WIRE GROMMETS
- ROOF VENT
- DOME LIGHTS WITH (1) WALL SWITCH

EXTERIOR

- 3" UPPER RUB RAIL TRIM
- 3" LOWER RUB RAIL TRIM
- .030 ALUMINUM
- RIVETS ON SEAMS AND TRIM
- POLISHED FRONT VERTICALS
- ONE-PIECE ALUMINUM ROOF
- 36" SIDE DOOR - 405 SERIES
- STANDARD FLUSH LOCK
- REAR RAMP DOOR
- STANDARD HINGE W/ ZERKS
- ALUMINUM BAR LOCKS
- STAINLESS STEEL HASPS
- 7-WAY PLUG
- ATP ENCLOSED FRONT W/ ACCESS PANEL
- L.E.D. CLEARANCE LIGHTS
- SETS OF L.E.D. BRAKE LIGHTS
- GRAY MOD WHEELS WITH CHROME CAP
- ST235/80R16LRE RADIAL TIRES

Selected Options:

- 1 PARTITION WALL - WELDED STEEL
 - TO PARTITION BUNK AREA
- 1 DELETE BEA VERTAIL
- 38 ft 18" ADDITIONAL HEIGHT / FT
 - *** REAR DOOR OPENING DOES NOT EXCEED 7' HEIGHT UNLESS OPTIONED SEPARATELY ***
 - *** ENTRANCE DOOR WILL NOT EXCEED 78" ***
- 39 ft ALUMINUM VIEWING RAIL FOR STAGE- FOLDS DOWN / PER LINEAR FT
 - THIS IS FOR THE SIDE STAGE AS WELL AS THE REAR STAGE AREA
- 1 UPGRADE FROM MANUAL LANDING GEAR TO DUAL POST HYDRAULIC JACK FOR GOOSENECK

- INCLUDES 12V BATTERY & BATTERY BOX (WIRED)
INCLUDES MANUAL OVERRIDE
- *** DELETES MANUAL LANDING GEAR ***
- 2 ADD DOUBLE GLASS REAR DOORS
 - INSTALL IN REAR OF TRAILER AND INST ALL ON SIDE OF TRAILER STAGE AS WELL.
 - 1 UPGRADE TO 7.5' REAR DOOR OPENING HEIGHT
 - *** REQUIRES 8' INTERIOR HEIGHT MINIMUM ***
 - Max. Capacity 4000# Distributed Load
- 1 36" x 24" TOP HINGED GENERATOR DOOR - 405 SERIES
 - INSTALL ON ROAD SIDE IN GOOSE NECK AREA
 - VENTED
 - *** APPROXIMATE FINISHED OPENING 34" x 22" ***
- 1 36" x 24" TOP HINGED BAGGAGE DOOR - 405 SERIES
 - NON-VENTED
 - *** APPROXIMATE FINISHED OPENING 34" x 22" ***
- 2 REMOVABLE ALUMINUM GRID STEP - TWO STEP
 - STEP WIDTH UP TO 48"
- 1 POLISHED CAST ALUMINUM CORNERS WITH POLISHED FRONT VERTICALS & TOP RADIUS
 - UPGRADE TO 4" UPPER RUB RAIL TRIM
 - UPGRADE TO 7" LOWER RUB RAIL TRIM
- 38 ft SCREWLESS EXTERIOR / FT (STANDARD HEIGHT THRU 18" EXTRA HEIGHT)
- 38 ft .050 EXTERIOR ALUMINUM / FT (STANDARD HEIGHT THRU 18" EXTRA HEIGHT)
- 1 17' 12V POWER AWNING WITH ALUMINUM WEATHERSHIELD
 - Standard color & fabric is pewter on vinyl.
 - *** Does not include battery ***
- 1 120V PACKAGE #1
 - 30 AMP BREAKER BOX
 - EXTERIOR POWER INLET (MOTORBASE) WITH 25' SHORE CORD
 - (2) INTERIOR RECEPES
 - (2) 48" FLUORESCENT LIGHTS WITH WALL SWITCH - RECESSED IF POSSIBLE
- 1 UPGRADE FROM 30 AMP BREAKER BOX TO 50 AMP BREAKER BOX
 - MUST UPGRADE TO RUN ALL ELECTRICAL OUTLETS
 - INCLUDES UPGRADED POWER INLET (MOTORBASE)
 - INCLUDES UPGRADED SHORE CORD
 - 6-SPACE 12-CIRCUIT PANEL
- 3 INTERIOR 15 AMP RECEPTE - 120V
 - 5 TOTAL
 - GFCI PROTECTED WHERE REQUIRED BY CODE
- 3 48" FLUORESCENT LIGHT NON-RECESSED - 120V
 - 5 TOTAL IN TRAILER
 - *** Does Not Include Wall Switch ***
- 1 55 AMP CONVERTER WITH BATTERY CHARGER
 - MUST HAVE TO RUN KEEP THE BATTERIES CHARGED
- 1 12.0 KW ONAN GENERATOR PKG. â€• QUIET DIESEL (120V/240V)
 - 24 GALLON IN FRAME FUEL TANK
 - LOCKABLE CAST ALUMINUM FUEL DOOR
 - GENERATOR WIRING & PREP
 - REMOTE START
 - INSULATED GENERATOR COMPARTMENT WITH
 - GALVANIZED LINER
 - 48" x 36" 405 SERIES VENTED TOP HINGED GEN DOOR
 - 50 AMP AUTO TRANSFER SWITCH
 - 12V BATTERY & VENTED BOX, WIRED
 - FUEL GAUGE
 - INCLUDES GAS SHOCKS
- 38 ft UPGRADE WALLS & CEILINGS FROM WHITE VINYL TO SCREWLESS ALUMINUM / FT
 - ***DELETES STANDARD WHITE VINYL WALLS & CEILING***
- 38 ft INSULATED WALLS / FT (STD HEIGHT THRU 18" EXTRA HEIGHT)
 - *** 1" E.P.S. (STYROFOAM) ***
- 38 ft INSULATED CEILING / FT
 - *** 1" E.P.S. (STYROFOAM) ***
- 2 13,500 BTU A/C (12" OVERALL HEIGHT) - DOMETIC
 - THERMOSTAT IS OPTIONAL (THERMOSTAT IS REQUIRED ON DUCTED UNITS)
 - DUCTING IS OPTIONAL
 - HEAT STRIP IS OPTIONAL

- 2 HEAT STRIP FOR A/C - DOMETIC
 - *** Heat Strip Cannot Be Used w/15.0 BTU Penguin Low-Profile A/C ***
 - *** Cannot Be Used With Heat Pump ***
 - *** 13.5 and 15.0 Brisk Air Do Not Require Thermostat ***
- 2 A/C THERMOSTAT (MOUNTED TO WALL) - DOMETIC
 - *** 12V Battery Required for Operation - Not Included ***
- 6 ft LOWER ALUMINUM CABINET / FT
 - 6' long x 18" deep x 3' tall.
 - 40"H x 24"D
 - Includes Aluminum Counter Top
- 6 ADD STAGE LEG TO RAMP / STAGE
 - 4 FOR SIDE STAGE AND 2 FRO REAR STAGE AREA.
 - *** CANNOT BE USED ON TRAILERS WITH BASEMENT OR DECKOVER ***
- 1 14' SIDE STAGE DOOR
 - UPGRADE TO 2" SIDEWALL - STAGE SIDE OF TRAILER
 - *** Does Not Include Stage Legs ***
 - *** Does Not Include Spring Assist ***
 - *** Does Not Include Railings ***
 - *** Requires 5200# axles or greater ***
- 1 (2) 5000# WINCHES FOR SIDE STAGE DOOR W/REMOTE & BATTERY
 - TOGGLE SWITCHES RECESSED INTO EXTERIOR WALL
 - SWITCHES COVERED WITH LOCKABLE ALUM ACCESS DOOR
 - 12V BATTERY & BOX, WIRED
 - INCLUDES (2) LIMIT SWITCHES
- 1 (2) QCBLK36 Snap Frame Holds 24" x 36" Posters INSTALLED
 - Mounts vertically or horizontally with included hardware
 - Snap open frame edges enable quick graphic changes
 - Non-glare lens included to protect graphics
- 1 (2) 9-1/8" Wide Literature Holder - Attaches to Wall
- 1 CUSTOM GRAPHICS
 - INSIDE AND OUT
 - SUBJECT TO CHANGE WITH ADDED DECAL OPTIONS AND CHANGES TO CUSTOMER PROVIDED DRAWINGS FROM WHICH QUOTE WAS DONE OFF OF.
 - FLOOR GRAPHICS NOT INCLUDED
- 1 VIZIO E552VLE 55-Inch 120Hz Class LCD HDTV Installed With TV Backer
 - VIZIO Internet Apps with built-in WiFi for easy connectivity
 - 120Hz refresh rate
 - 1080p Full HD resolution
 - 100,000 to 1 Dynamic Contrast Ratio
 - SRS StudioSound HD audio
- 1 VIZIO E422VA 42-Inch LCD 1080p HDTV installed With TV Backer
 - 2 TOTAL INSTALLED IN TRAILER
- 1 BRUMARK BRILLIANT WHITE FLOORING / FT
 - For the main floor and stage floor-bunk will be standard advantech
- 1 UPGRADE TO 7.5 REAR DOOR OPENING HEIGHT
- 1 FLOORING DISCOUNT
- 1 HDMI CABLES FOR TV'S RAN TO END LOCATION
 - 3 HDMI CABLES A TOTAL
- 1 19' of 18" Deep Aluminum Counter Top
 - INSTALL ON RIGHT SIDE FROM CABINET RUNNING FORWARD
- 1 FREIGHT FROM ATC TO ADVANTAGE â€ˆ GRAPHIC DEPARTMENT