

Product: 2012 Aluminum Quest Gooseneck Car Hauler

Width: 8.5 ft

Length: 40 ft

Height: 11.33 ft

Axles: (2) 7000# Torsion Axles

Color: Black

VIN: 1E170517

Model #: ATCGQST8540TA5

Standard Features:

FRAME

- FULL PERIMETER ALUMINUM FRAME
- ALL-TUBE CONSTRUCTION
- TORSION AXLES WITH EZ LUBE HUBS
- SPREAD AXLE DESIGN WITH FENDERETTES
- ELECTRIC BRAKES - ALL AXLES
- GEL CELL BATTERY BREAKAWAY KIT
- 2-5/16" ADJUSTABLE COUPLER
- SAFETY CHAINS & HOOKS
- SINGLE SPEED MANUAL JACK
- 16" O/C FLOOR CROSSMEMBERS
- 16" O/C ROOF CROSSMEMBERS - 1"x 3"
- 16" O/C WALL SUPPORTS
- 48" BEAVERTAIL
- SMOOTH ALUM. RADIUS WHEEL BOXES
- FLAT FRONT DESIGN

INTERIOR

- ADVANTECH SUB FLOOR
- FLOOR COVER IS OPTIONAL
- ADVANTECH RAMP
- ADVANTECH TRANSITION FLAP
- OPEN STUD WALLS
- OPEN STUD CEILING
- (4) 5000# D-RINGS
- WIRE GROMMETS
- (1) ROOF VENT
- (3) RECESSED DOME LIGHTS WITH (1) WALL SWITCH

EXTERIOR

- 3" UPPER RUB RAIL TRIM
- 3" LOWER RUB RAIL TRIM
- .030 ALUMINUM
- RIVETS ON SEAMS
- POLISHED FRONT VERTICALS
- ONE-PIECE ALUMINUM ROOF
- 36" SIDE DOOR - 405 SERIES
- STANDARD FLUSH LOCK
- REAR RAMP DOOR
- GAPLESS CONTINUOUS HINGE
- ALUMINUM BAR LOCKS
- STAINLESS STEEL HASPS
- 7-WAY PLUG
- ATP ENCLOSED FRONT W/ ACCESS PANEL
- L.E.D. CLEARANCE LIGHTS
- L.E.D. SLIM LINE BRAKE LIGHTS
- GRAY MOD WHEELS WITH CHROME CAP
- ST235/85R16LRG RADIAL TIRES

Selected Options:

- 1 UPGRADE TO REVERSE BEAVERTAIL
- 40 ft UPGRADE TO 2" X 2" ALUMINUM TUBE WALL POSTS
- 1 PARTITION WALL WITH POCKET DOOR
 - 4.5" Overall Wall Width
 - Welded Aluminum Wall Structure
- 1 DELETE BEAVERTAIL
- 32 ft SUB BASEMENT FOR STORAGE

- *** DOES NOT INCLUDE ACCESS DOORS ***
- 40 ft 52" ADDITIONAL HEIGHT
 - *** REAR DOOR OPENING DOES NOT EXCEED 7' HEIGHT UNLESS OPTIONED SEPARATELY ***
 - *** ENTRANCE DOOR WILL NOT EXCEED 78" ***
- 1 FOUR POST AUTOMATIC HYDRAULIC LEVELING SYSTEM
 - INCLUDES 12V BATTERY (OPTIMA YELLOW TOP) & BATTERY BOX (WIRED)
 - INCLUDES MANUAL OVERRIDE
 - *** DELETES MANUAL LANDING GEAR ***
- 1 UPGRADE FROM STD GOOSENECK HITCH TO FIFTH WHEEL HITCH
- 1 36" 405 SERIES DOOR
 - 84" HEIGHT
- 40 ft SCREWLESS EXTERIOR
- 40 ft .050 EXTERIOR ALUMINUM
- 7 DOME LIGHT 12V L.E.D. HIGH OUTPUT (NON-RECESSED)
 - *** Low Profile Design ***
- 2 UPGRADE DOME LIGHT 12V FROM INCANDESCENT TO L.E.D.
 - *** Low Profile Design ***
- 1 WALL SWITCH 12V
- 1 100 AMP BREAKER BOX
 - 100 AMPS @ 240V; 200 AMPS @ 120V
 - Exterior Power Inlet (Motorbase)
 - 50amp 30' Shore Cord
- 60 ft CARPETED WALLS
 - for walls and ceiling
 - NO PLYWOOD ON WALLS ONLY CEILING!!!!
 - use lauan instead of plywood
 - INCLUDES 3/8" PLYWOOD WALLS
- 40 ft TEMPCOAT SPRAY-IN INSULATION WALLS AND CEILING
 - THIS IS FOR THE WALLS ONLY.
 - ROLL TEMPCOAT ON ROOF.
 - NOT SPRAYED IN CEILING
 - Includes Beadboard Insulation
- 40 ft GRAY CARPET ON FLOOR
 - *** DOES NOT INCLUDE RAMP ***
- 40 ft TEMPCOAT SPRAY-IN INSULATION FOR FLOOR
 - ONE COAT 30 MILS THICK
- 2 2.5-TON BARD FRONT MOUNT A/C 5KW HEAT COVER NOT INCLUDED
 - Includes hard start kit
- 1 STOWABLE EXTERIOR REMOVABLE STAIRWAY AND HANDRAIL
 - Includes 42" x 42" landing area
- 1 100 AMP 25' SERIES 15 CAMLOCK SHORE CORD & VENUE POWER-SUPPLY PKG
 - CORD TO BE 75 FEET IN LENGTH
 - Includes Shore Cord
 - Includes Female In-Line Connectors (Supplied to Venue)
 - Includes 2-Gauge Wire for Connectors Supplied to Venue
- 2 22' SLIDE OUT
 - Includes fold up flooring
 - 42" Extension
 - Universal Level Out
- 1 HIGH OPTIC ACRYLIC WINDOW
 - WINDOW SIZE IS 10' X 4'
 - INSTALLED IN C/S SLIDE OUT
 - TRIMMED W/ WOOD
- 1 DELETE REAR RAMP DOOR
- 1 ADD (2) 36" X 18" BAGGAGE DOORS TO ENCLOSED RISER TOP HINGED (405 SERIES)
- 68 ft WIRE BASKET HANGERS FROM CEILING
- 3 18" L.E.D. FLUORESCENT LIGHT - 12V (RECESSED)
 - Includes Recessed Trim Ring
- 5 8" x 8" ACCESS DOOR WITH BRISTLES FOR WIRE PASS THRU
- 6 SCARE LIGHT 12V
 - Includes Wall Switch
- 11 INTERIOR 20 AMP RECEPT 120V
 - GFCI PROTECTED WHERE REQUIRED BY CODE
- 3 SLIDER-STYLE DIMMER SWITCH 12V
- 8 INTERIOR 15 AMP RECEPT 120V

- (4) located in ceiling
- (4) 2 in each slide out
- GFCI PROTECTED WHERE REQUIRED BY CODE
- 4 UPGRADE TO ST235/85R16/LRG ON ALUMINUM WHEEL (7K AXLES) W/SS LUGNUTS
- 1 SPARE ST235/85R16/LRG ON GRAY WHEEL (7K AXLES)
- 1 INTERIOR WALL SPARE TIRE MOUNT
- 1 BATTERY - 12V DEEP CYCLE (685 CA, 550 CCA)
 - Includes Battery Box (Wired)
 - Includes Fuse Panel
- 1 55 AMP CONVERTER WITH BATTERY CHARGER
- 1 UPGRADE TO CUSTOM AXLE DEGREE
- 1 48" X 19" TOP HINGED BAGGAGE DOOR 405 SERIES
- 3 36" X 11" BOTTOM HINGED BAGGAGE DOOR 405 SERIES
- 2 38" X 20" BOTTOM HINGED BAGGAGE DOOR 405 SERIES
- 1 60" X 11" TOP HINGED BAGGAGE DOOR 405 SERIES
 - Includes gas shocks
 - 2 Slam latches
- 1 3.6 CU FT 2-WAY REFRIGERATOR (12V/120V)
 - *** Requires cabinet (order separately) ***
 - Does Not Require Exterior Vent
- 1.5 ROLL TEMPCOAT ON ROOF 30FT
- 1 LIGHT CEILING BAR (1" x 1.5" TUBE)
- 1 24" X 30" MIRROR
- 6 ft LOWER WOOD CABINET
 - Black in color
 - OAK OR MAPLE CABINETS
 - SOLID WOOD CABINETS
 - SOLID WOOD FLAT PANEL DOORS
 - *** NO COUNTERTOP INCLUDED ***
- 6 ft LAMINATE COUNTERTOP 24" DEEP
 - Brushed Pewter
 - Includes Beveled Edge
- 1 GRAB HANDLE 12V LIGHTED
- 3 120V SLIDER-STYLE DIMMER SWITCH
 - COLOR IS BLACK
- 71 UPGRADE FROM ADVANTECH FLOOR TO UNTREATED 3/4" PLYWOOD
- 7 8" x 8" IN FLOOR WIRE PASS THROUGH
 - 8" x 8" Advantech with carpet cover
- 2 ADD SINGLE GAS SHOCK TO ENTRANCE DOOR
- 2 ADD (2) GAS SHOCKS TO DOOR
- 1 POWER WINCH TO LIFT SLIDEOUT FLOOR
- 2 TRAVEL COVER FOR BARD AC RADIATOR FINS
 - *****Temporary Cover for Travel Only*****