

This glass walled trailer was custom designed for Goodyear Tire & Rubber Company. Goodyear is planning to use this trailer to provide a location for the observation of testing events and training to occur in a climate controlled area at their San Angelo, Texas tire proving grounds. This trailer will allow Goodyear's VIP guests to watch the vehicles encounter the obstacles on the proving grounds, from a climate controlled area.

Product: 2014 Quest Steel Trailer

Width: 8.5 ft

Length: 40 ft

Height: 7.5 ft

Warranty: 5 YR STR, 3 YR LTD, 1 YR ELEC WARRANTY

Axles: (2) 6000# Torsion

Color: Polar White

Cabinet Color: Polar White

VIN: 1E196162

Model #: QSTSG8540+0-2T6.0K

Standard Options:

FRAME

- o FLAT FLOOR DESIGN
- o FLAT FRONT DESIGN
- o 16" O/C WALL SUPPORTS
- o 16" O/C 1" x 3" ROOF CROSSMEMBERS
- o 16" O/C FLOOR CROSSMEMBERS
- o 7-WAY PLUG
- o 2-5/16" COUPLER
- o FULL PERIMETER PAINTED STEEL FRAME
- o ALL TUBE WALL CONSTRUCTION
- o SPREAD AXLE DESIGN WITH FENDERETTES
- o (2) 6000# TORSION EZ LUBE AXLES W/ BRAKES
- o SINGLE SPEED MANUAL JACKS

INTERIOR

- o 3/4" ADVANTECH FLOORING
- o 3/8" PLYWOOD WALLS
- o OPEN STUD CEILING
- o SMOOTH ALUM. RADIUS WHEEL BOXES
- o (2) SURFACE MOUNT L.E.D. DOME LIGHTS WITH WALL SWITCH

EXTERIOR

- o (1) ROOF VENT
- o 3" LOWER RUB RAIL TRIM
- o 3" UPPER RUB RAIL TRIM
- o .030 ALUMINUM
- o RIVETS ON SEAMS AND TRIM
- o ONE PIECE ALUMINUM ROOF
- o DOUBLE REAR CARGO DOORS
- o LED CLEARANCE & BRAKE LIGHTS
- o ATP ENCLOSED FRONT WITH ACCESS PANEL
- o COLOR MATCHED FRONT CORNERS
- o 32" SIDE ENTRY DOOR W/ FLUSH LOCK LATCH (405 SERIES)
- o ST235/80R16/LRE RADIAL TIRE ON GREY MOD WHEEL

Selected Options:

- 1 CH 100 SERIES
 - o 4000# RATED REAR RAMP DOOR WITH CONTINUOUS HINGE
 - o ALUMINUM BAR LOCKS AND STAINLESS STEEL HASPS
 - o REAR TRANSITION FLAP
 - o BEAVERTAIL
 - o (4) 5000# RECESSED FLOOR D-RINGS
- 1 UPGRADE TO BLACK MARBLE VINYL RAMP
 - o INCLUDES BLACK MARBLE VINYL TRANSITION FLAP
- 1 DELETE BEAVERTAIL
- 3 48" FLUORESCENT LIGHT RECESSED 120V
 - o *** Does Not Include Wall Switch ***
 - o *** Requires 3" Roof Stud or Stacker Cove Molding ***
- 40 ft 6" ADDITIONAL HEIGHT
 - o *** REAR DOOR OPENING DOES NOT EXCEED 7' HEIGHT UNLESS OPTIONED SEPARATELY ***
 - o *** ENTRANCE DOOR WILL NOT EXCEED 78" ***

- 1 SPARE ST235/80R16/LRE ON GRAY WHEEL 8 LUG
- 4 UPGRADE TO ST235/80R16/LRE ON ALUMINUM WHEEL (6K AXLES) W/SS LUGNUTS
- 1 INTERIOR WALL SPARE TIRE MOUNT
- 1 UPGRADE TO 36" 405-SERIES SIDE DOOR FROM 32" 405 SERIES (QST/SIG/NS)
- 1 36" 405 SERIES DOOR
 - SECOND DOOR TO BE BEHIND THE CLEAR VIEW AREA
- 1 36" x 36" SIDE HINGED GENERATOR DOOR 405 SERIES
 - VENTED
 - *** APPROXIMATE FINISHED OPENING 34" x 34" ***
- 1 36" x 24" TOP HINGED BAGGAGE DOOR 405 SERIES
 - NON-VENTED
 - *** APPROXIMATE FINISHED OPENING 34" x 22" ***
- 1 36" x 36" SIDE HINGED BAGGAGE DOOR 405 SERIES
 - NON-VENTED
 - *** APPROXIMATE FINISHED OPENING 34" x 34" ***
- 2 ADD SINGLE GAS SHOCK TO ENTRANCE DOOR
- 2 GRAB HANDLE 12V LIGHTED
 - INCLUDES 12V WALL SWITCH
- 2 PORTABLE 36" WIDE ALUMINUM GRID TWO-STEP
 - FOR BOTH SIDE DOORS
- 7.5 ft 1/8" STANDARD ACRYLIC SIDE WALL
 - INSTALL ON DRIVER SIDE INSTALL FROM CEILING DOWN 14"
 - THIS WILL ACT AS A WINDOW SECTION TO LET LIGHT IN
 - NO UV PROTECTION AGAINST YELLOWING
 - NO SCRATCH PROTECTION
 - 96" MAXIMUM ACRYLIC PANEL HEIGHT
 - CONSISTENT PANEL & WALL STUD SPACING " MAX 24"
- 20 ft 1/8" PREMIUM ACRYLIC SIDEWALL
 - INSTALL DOWN ON SIDE OF TRAILER
 - INCLUDES UV & SCRATCH PROTECTION
 - 96" MAXIMUM ACRYLIC PANEL HEIGHT
 - CONSISTENT PANEL & WALL STUD SPACING " MAX 24"
- 1 POLISHED CAST ALUMINUM CORNERS WITH STAINLESS STEEL FRONT VERTICALS & TOP RADIUS
 - UPGRADE TO 4" UPPER RUB RAIL TRIM
 - UPGRADE TO 7" LOWER RUB RAIL TRIM
- 30 ft SCREWLESS EXTERIOR
- 1 CENTER SUPPORT CRADLE FOR 21' & LONGER MANUAL OR 12V POWER AWNING
 - *** Not Available on Lateral Arm Awning ***
- 1 21' 12V POWER AWNING WITH ALUMINUM WEATHERSHIELD
 - Standard color & fabric is pewter on vinyl.
 - Includes 12V Dometic Awning Switch
 - *** Does not include battery ***
- 1 BATTERY 12V DEEP CYCLE (685 CA, 550 CCA)
 - Includes Battery Box (Wired)
 - Includes Fuse Panel
- 1 120V PACKAGE #1
 - 30 AMP BREAKER BOX
 - EXTERIOR POWER INLET (MOTORBASE) WITH 25' SHORE CORD
 - (2) INTERIOR RECEPTS
 - (2) 48" FLUORESCENT LIGHTS WITH WALL SWITCH
 - RECESSED IF POSSIBLE
- 1 UPGRADE FROM 30 AMP BREAKER BOX TO 50 AMP BREAKER BOX
 - INCLUDES UPGRADED POWER INLET (MOTORBASE)
 - INCLUDES UPGRADED SHORE CORD
 - 6-SPACE 12-CIRCUIT PANEL
- 4 INTERIOR 15 AMP RECEPT 120V
 - GFCI PROTECTED WHERE REQUIRED BY CODE
- 1 WALL SWITCH 120V 15 AMP
- 2 RECESSED EXTERIOR 500W QUARTZ HALOGEN LAMP 120V
 - INSTALL ON CLEAR VIEW SIDE OF TRAILER
 - *** Does Not Include Wall Switch ***
- 1 55 AMP CONVERTER WITH BATTERY CHARGER
- 1 INSULATED GENERATOR COMPARTMENT
 - INCLUDES GALVANIZED LINER
 - INCLUDES ALUMINUM COUNTERTOP

- *** GEN DOOR NOT INCLUDED ***
- 1 50 AMP GENERATOR WIRE PREP WITH TRANSFER SWITCH
 - 50 AMP AUTO TRANSFER SWITCH - 50 AMP J-BOX IN GEN COMPARTMENT
- 1 DOME LIGHT WITH SWITCH IN GENERATOR COMPARTMENT
- 30 ft UPGRADE TO SCREWLESS ALUMINUM WALLS AND CEILING
 - *** DELETES STANDARD 3/8" PLYWOOD ***
- 32 ft BLACK MARBLE VINYL FLOOR
 - *** DOES NOT INCLUDE RAMP ***
- 8 ft GRAY CARPET ON FLOOR
 - *** DOES NOT INCLUDE RAMP ***
- 2 15,000 BTU LOW PROFILE A/C (10.5" OVERALL HEIGHT) â€ˆ DOMETIC
 - THERMOSTAT IS INCLUDED
 - *** DUCTING IS OPTIONAL ***
 - *** INSULATION RECOMMENDED ***
 - *** WHEN LP FURNACE IS OPTIONED WIRE INTO A/C THERMOSTAT ***
- 1 A/C THERMOSTAT (MOUNTED TO WALL) â€ˆ DOMETIC
 - *** 12V Battery Required for Operation - Not Included ***
 - *** When LP Furnace Is Optioned Wire Into A/C T-Stat ***
- 1 35,000 BTU DUCTED LP FURNACE (INCLUDES TANKS)
 - (2) 20# LP TANKS
 - DUCTING FOR FURNACE THROUGH CABINETS
 - CO DETECTOR
 - SMOKE DETECTOR
 - FIRE EXTINGUISHER
 - LP DETECTOR
 - *** THERMOSTAT INCLUDED ***
 - *** BATTERY NOT INCLUDED ***
- 8 ft LOWER ALUMINUM CABINET
 - 40"H x 24"D
 - Includes Aluminum Counter Top
- 8 ft UPPER ALUMINUM CABINET
 - 18"H x 14"D
- 2 2.7 CU FT 3-WAY REFRIGERATOR (12V/120V/LP)
 - *** Requires cabinet (order separately) ***
 - *** Does not include LP kit ***
 - *** Requires Exterior Vents ***
 - *** Black Exterior Color ***
- 1 (2) PREP AND WIRE WITH BACKING PLATES FOR FUTURE TV'S INSTALLED
 - INCLUDES BACKER FOR TV AND 110V RECEPTACLE
- 1 UPGRADE TO GOODYEAR TIRES